- (2) ये राजपत्र में प्रकाशन की तारीख को प्रवृत होंगे।
- 2. औपधि और प्रसाधन सामग्री नियम, 1945 (जिन्हें इसमें इसके पश्चात् उक्त नियम कहा गता है) के नियम 75 में .--
  - (1) शीर्ष के अंत में, "भाग 10व में जितिर्देष्ट को छोड़ कर", शब्द, अंक और ग्रक्षर रवे जाएंगे;
  - (2) उपनियम (1) में "अनुस्ची भ में विनिर्दिष्ट को छोड़ कर" जब्दों और अक्षर के स्थान पर "भाग 10ख और अनुस्ची भ में विनिर्दिष्ट को छोड़ कर" जब्द, अंक और अक्षर रखे जाएंगे।
- 3. उक्त नियमों के नियम 75क के उानियम (1) में "ग्रनुसूची भ में विनिर्दिष्ट को छोड़ कर शब्दों और ग्रक्षर के स्थान पर "भाग 10व और श्रनुसूची भ में विनिर्दिष्ट को छोड़कर" शब्द, ग्रक्षर और अंक रखें जाएंगे।
- 4. उक्त नियमों के नियम 76 के शीर्ष में प्रारंभिक भाग में "ग्रनुसूची भ में विनिर्दिष्ट को छोड़कर शब्दों और ग्रक्षर के स्थान पर "भाग 10च और ग्रहुग्ची भ में विनिर्दिष्ट को छोड़ कर" शब्द, ग्रक्षर और अंक रखे जाएंगे।
- 5. उक्त नियमों के भाग 10ख के पश्चात् निन्तिलिखितभाग ग्रन्तःस्थापित किया जाएगा, ग्रयीत् :---

#### "भाग 10 ख"

रक्त बैक द्वारा सम्पूर्ण मानव रक्त तथा मानव रक्त घटकों के संग्रहण भण्डारकरण, प्रसंस्करण तथा वितरण और उक्त उत्पादों के विनिर्माण के लिये अपेक्शएं

122च विक्रय या वित्तरण के लिये रक्त बैंक के संचालन के लिये/घटकों के लिये संपूर्ण मानव रक्त के प्रसंस्करण के लिये/रक्त उत्पादों के विनिर्माण के लिये ग्रमज्ञप्त हेत् ग्रावेदन का प्ररूप

(1) रका बैंक के संचालन के लिये/घटकों के लिये मानव रक्त के प्रसंस्करण/रक्ता ंडलादों के विनिर्माण के लिये अनुज्ञप्ति देने या उसके नवीकरण के लिये आवेदन भाग 7 के अवीन नियुक्त अनुज्ञापन आविकारी को प्ररूप 27-ग में दिया जायेगा ओर उसके साथ 600 रुपये की अनुक्रप्ति फीस और पहले निरोक्षण के लिये 400 रुपये की निरीक्षण फीस या दूमरे या प्रत्येक पश्चात्वर्ती निरीक्षण या अनुक्रप्ति नवीकरण की दशा में 200 रुपये की फीस लगी होगी।

परन्तु यदि आवेदन अनुजिन्त की समान्ति के पण्वात् किन्तु ऐसी समान्ति के 6 साह के भीतर उसके नवीकरण के निये आवेदन करता है तो अनुजिन्ति के नवीकरण के निये संदेय फीस 600 रुग्ये तथा निरीक्षण फीस के अतिरिक्त प्रति मास या उसके भाग के निये 300 रुपये की दर पर अतिरिक्त फीस भी होगी;

परन्तु यह और भी कि रक्त बैंक के संवालत के लिये/तटकों के लिये संपूर्ण मानव रक्त के प्रसंस्करण/रक्त उत्पादों के विनिर्माण के निये प्ररूप 28ा में सनुज्ञिप्तियारी रक्त अनुज्ञप्ति की समाप्ति से पूर्व उपनियम (1) के अधीन अनुज्ञप्ति देने के निये प्ररूप 27-ग में आवेदन करेगा और वह तब तक रक्त बैंक का संवालन करता रहेगा जब तक उसके आवेदन पर आदेशों की कोई लंगुनना उते दी जाती है । स्पष्टीकरण: इस नियम के प्रयोजन के लिये रक्त बैंक से चयनित मानव दाताओं से संप्रहीत सम्पूर्ण मानव रक्त धार्यहरण और वितरण के तिये केन्द्र अनिश्रेत है।

- (2) यदि मूत अनुजिन विक्तिन, नष्ट या खो जाती है तो इन नियम के अयोग जरो की गई अनुजिनि की दूसरी प्रति प्राप्ति करने के तिये 100 स्वये की फीप संदत्त की जायेगी।
- (3) आदेदन में स्वोबद्ध आतिरिक्त ओरिबर्वे के विनिर्माण के निर्वे किसी अनुबन्धियारी द्वारा किये जाने वाने आवेदन के साथ आवेदन में स्वोबद्ध प्रत्येक औरिद्धियों के लिये 50 स्पर्य की फीन जगी होगी।
- (4) ऐसी अनुजाप्त देने या उसका नवीकरण करने के तिए आवेदन प्राप्त होने पर अनुजानन प्राधिकारी:---
  - (i) अत्रेदन प्रारूप में किये गये कथन को सत्यापित करेगाः
  - (ii) नियम 122-I के उनवन्त्रों के प्रतुसार विविनींग और परीक्षण स्वापनों का निरीक्षण करवाएगा; और
  - (iii) उस दशा में जब म्राद्वेन म्रानुज्ञप्ति केनबीकरण के निये हैं तो वह म्रानुबन्धारों के पूर्व कियाकतायों के वारे में जानकारी मंगवाएगा।
- (5) यदि अनुज्ञापन प्राधिकारी का समाधान ही जाता है कि अवदन नियमों में अधिकथिन अपेक्षाओं को पूरा करने की स्थिति में है तो वह इस आशय की एक रिपोर्ट तैयार करेगा और उसे अवदेत के माथ केन्द्रीय अनुज्ञाप्त अनुमोदन प्राधिकारी को भेजेगा:

परन्तु यदि अनुजापन प्राधिकारी की यह राय है कि अविदेश इन नियमों में अधिकथित अनेक्षाओं को पूरा करने की स्थिति में नहीं है तो वह ऐसे कारणों से, जो लेखबद्ध किये जाएंगे, म्रादेश द्वारा, यथास्थिति, म्रनुज्ञित को देने या उसका नवीकरण करने से इंकार करसकेगा।

(6) यदि आवेदन पत्र और उपनित्रम (2) में निर्दिष्ट अनुजापन प्राधिकारी की रिपोर्ट प्राप्त होने पर पर और ऐसे उपाय करने के पश्चात्, जो आवश्यक समझे गए हों, जिनके अन्तर्गत अधिनियम की धारा 21 के अधीन केन्द्रीय सरकार द्वारा निगुक्त निरीक्षक द्वारा और/या संबंधित क्षेत्र में विशेषज्ञ के साथ, यदि आवश्यक समझा जाये, परिसर का निरीक्षण करना भी है, केन्द्रीय अनुजाप्ति अनुमोदन प्राधिकारी का यह समाधान हो जाता है कि आवेदन इन नियमों में अधिकयित अपेक्षाओं को पूरा करने की स्थित में है, तो वह यथास्थिति, अनुजाप्ति दे सकेगा या उसका नवीकरण कर सकेगा:

परन्तु यदि केन्द्रीय स्ननुज्ञप्ति स्ननुमोदन प्राधिकारी की यह राय है कि स्नावेदक इन नियमों में स्निध्नियत स्नपेक्षाओं को पूरा करने की स्थिति में नहीं है तो वह सनुज्ञापन प्राधिकारी की रिपोर्ट के होते हुए भी, स्नादेण द्वारा ऐसे कारणों से जो लेखबद्ध किये जाएंगे, ययास्थिति सनुज्ञप्ति के देने या उसके नवीकरण के लिये स्नावेदन को खारिज कर सकेगा और स्नावेदक को निरीक्षण रिपोर्ट की एक प्रति देगा।

122छ. रक्त बैंक के संचालन के लिये/घटकों के लिये संपूर्ण मानव रक्त के प्रसंस्करण/रक्त उत्पादों के विनिर्माण के लिये अनुज्ञप्ति का प्ररूप और ऐसी अनुज्ञप्ति देने या उसके नवीकरण के लिये शर्ते।

रक्त बैंक के संचालन के लिये/धटकों के लिये संपूर्ण मानव रक्त के प्रसंस्करण/रक्त उत्पादों के विनिर्माण के लिये अनुज्ञप्ति प्ररूप 28ग में अनुज्ञप्ति दिये जाने या उसके नवीकरण से पूर्व आवेदक निम्नलिखित शर्तों का पालन करेगा:—

- (i) रक्त बैंक का संचालन/घटकों के लिये संपूर्ण मानव रक्त का प्रशंस्करण/रक्त उत्पादों का विनिर्माण सक्षम तकनीकी कर्मचारिवृन्द के, जिसमें कम से कम एक ऐसा व्यक्ति होगा जो पूर्णकालिक कर्मचारी हो और जो केन्द्रीय सरकार द्वारा मान्यताप्राप्त किसी विश्वविद्यालय का चिकित्सा स्नातक हो और उस नियमित सेवा के दौरान रक्त बैंक में कार्य करने का 6 मास का अनुभव हो, सिक्रय निदेश और व्यक्तिगत पर्यवेक्षण के ग्रधीन किया जायेगा । उसे रक्त के ग्रुपों, सीरम विज्ञान, रक्त के ग्रुपों की पद्धति, तंत्र और रक्त उपापन से संबंधित चिकित्सा सिद्धान्तों का पर्याप्त ज्ञान और अनुभव होगा।
- (ii) म्रावेदक रक्त संग्रहण या रक्त प्रसंस्करण की सभी संक्रियाओं या उनमें से किमी के लिये पर्याप्त स्थान, संयंत्र और उपस्कर की व्यवस्था करेगा। म्रानेक

संत्रियाओं के लिये भ्रोक्षित स्थान, संयंत्र और उपस्कर का ब्यौरा भ्रनुसूची "च" में भाग 12व और/या 12ग में दिया गया है।

- (iii) ग्रावेदकः ग्रनुसूची "च" भाग 12 ख और/या 12 ग में विनिर्दिष्ट पर्याप्त तकनीकी कर्मचारिवृन्द की व्यवस्था करंगा और रखेगा।
- (iv) श्रावेदक सम्पूर्ण मानव रक्त, मानव रक्त घटकों और रक्त उत्पादों केभण्डाकरण के लिए पर्याप्त व्यवस्था करेगा।
- (V) ग्रावेदक ग्रनुज्ञापन प्राधिकारी को यदि उससे ऐसा करने की ग्रपेक्षा की जाए, संपूर्ण मानव रक्त उसके घटकों या ऐसे रक्त उत्पादों की, जिनके क्षय होने की संभावना है, स्थिरता के ग्रांकड़े समाप्ति की तारीख नियत करने के लिये प्रस्तुत करेगा और ऐसी तारीख इस प्रकार प्रस्तुत ग्रांकड़ों के ग्राधार पर ऐसे उत्पादों के लेबलों पर मुद्रित की जाएगी।

122ज. अनुज्ञप्ति की कालावधि : प्रश्प 28 में मूल अनुज्ञप्ति या प्ररूप 26छ में नवीकृत अनुज्ञप्ति जब तक कि उसे पहले निलंबित या रद्द न कर दिया गया हो, उस वर्ष के आगामी वर्ष के 31 दिसम्बर, तक विधिमान्य होगी जिसमें वह दी गई है या उसका नवीकरण किया गया है।

122झ. रक्त बैंक के संचालन के लिये/घटकों के लिये सम्पूर्ण मानव रक्त के प्रसंस्करण और रक्त उत्पादों के विनिर्माण के लियें ग्रनुज्ञप्ति देने या उसका नवीकरण करने से पूर्व निरीक्षण-प्ररूप 28ग में ग्रनुज्ञप्ति देने से पूर्व यथास्थिति, अनुज्ञापन प्राधिकारी या केन्द्रीय अनुज्ञप्ति अनुमोदन प्राधिकारी उस संस्था का, जहां रक्त बैंक के संचालन/घटकों के लिये सम्पूर्ण मानव रक्त के प्रसंस्करण रक्त उत्पादों के विनिर्माण का प्रस्ताव है, ग्रधिनियम के अधीन नियुक्त एक या अधिक निरीक्षकों द्वारा और/या संबद्ध क्षेत्र में विशेषज्ञों के साथ करवाएगा। निरीक्षक, परिसर के सभी भागों और साधित्रों/उपस्करों का परीक्षण करेगा/करेंगे और रक्त वैंक के संचालन के लिये/ घटकों के लिये सम्पूर्ण मानव रक्त के प्रसंस्करण/ रक्त उत्पादों के विनिर्माण के लिये नियोजित किये जाने के लिये ग्राशयित या नियोजित किये जा रहे साधनों के साथ नियोजित करने के लिये ग्राशयित या नियोजित की जा रही विनिर्माण प्रिक्तिया के परीक्षण के लिये निरीक्षण और नियोजित के साथ किये जाने वाले विशेषज्ञ कर्मचारिवन्द और भ्रन्य तकनीकी कर्मचारिवन्द की वृत्तिक ग्रर्हताओं की जांच करेगा/करेंगे।

122-ञा. निरीक्षण द्वारा रिपोर्ट :—निरीक्षक नियम
122-झ के उपबंधों के अनुसरण में अपनी सिफारिशों
के साथ निरीक्षण के प्रत्येक पहलू पर अपने निष्कर्षों की
विस्तृत वणर्नात्मक रिपोर्ट अनुज्ञप्ति प्राधिकारी या केन्द्रीय
धनुज्ञप्ति अनुमोदन प्राधिकारी को भेजेगा/भेजेंगे।

122-ट. नामंजुरी के पश्चात् और ग्रायेदन:

यदि ग्रन्जप्ति के लिये दिये गये ग्रावेदन की नामंजूरी से 6 मास की अवधि के भीतर आवेदक अनुज्ञापन प्राधिकारी को यह सूचना देदेता है कि ग्रधिकथित शर्तो पूरी कर दी गई हैं और इसके साथ-साथ 50 र. निरीक्षण फीस भी जमा कर देता है तो अनुजापन प्राधिकारी और निरीक्षण कराने के पत्रचात् ग्रपना यह समाधान हो जाने पर कि अनुज्ञष्ति देने की शर्ते प्री कर दी गई हैं, प्ररूप 28ग में अनुज्ञप्ति देसकेगा।

122-ठ--केन्द्रीय अनुज्ञप्ति अनुमोदन प्राधिकारी द्वारा शक्तियों का प्रत्यायोजन :--केन्द्रीय अनुक्षप्ति अनुमोदन प्राधिकारी, केन्द्रीय सरकार के अनुमोदन से अधिसूचना द्वारा ग्रनुज्ञप्तियों पर हस्ताक्षर करने या नियमों के ग्रधीन अन्य शक्तियों को विनिर्दिष्ट क्षेत्रां और श्रवधि के लियं उसके नियंत्रणाधीन ऐसे व्यक्तियों को प्रत्यायोजित कर सकेगा जो वही ग्रहंताएं रखते हों तो नियम 50-क में नियंत्रण प्राधिकारी के लिये विहित की गई हैं।

122-ड--ऐसं पक्षकार द्वारा राज्य सरकार का ग्रपील करने के लिये उपबंध जिसे ग्रनुज्ञप्ति नहीं दी गई या जिसकी अनुज्ञप्ति का नवीकरण नहीं किया गया है:--- अनुज्ञापन प्राधिकारी या केन्द्रीय अनुज्ञादित अनुमोदन प्राधिकारी द्वारा, जैसी भी स्थिति हो अनुक्रित देने या उसके नवीकरण न करने से संबंधित पारित ब्रादेश से व्यथित व्यक्ति ऐसा ग्रादेश प्राप्त होने की तारीख से 30 दिन के भीतर राज्य सरकार या केन्द्रीय सरकार, जैसी भी स्थिति हो को ग्रपील कर सकेगा और मामल में ऐसी जांच केपश्चात् जो वह ग्रावण्यक समझे और उनत व्यक्ति को इस मामले में ग्रपने समक्ष विचार रखने का म्रवसर देने के पश्चात् इस संबंध में ऐसा म्रादेश पारित कर सकेगी जो वह उचित समझे।

122-द--िकसी अनुज्ञप्तिधारी द्वारा अनुज्ञप्ति के लिये ग्रनुज्ञापन प्राधिकारी को किसी श्रावेदक हारा प्रस्तुत की जाने वाली श्रतिरिक्त जानकारी--

म्रानुज्ञप्ति दिये जाने के लिये मार्वेदक या कोई ऐसा व्यक्ति जिसे इस भाग के प्रधीन ग्रनुज्ञप्ति दी गई, मांगें जाने पर अनुज्ञप्ति दिये जाने से पूर्व या अनुज्ञप्ति के प्रवृत्त रहने वाली अवधि के दौरान, जैसी भी स्थिति हो, ग्रनुज्ञापन प्राधिकारी को अनुज्ञप्ति के तिये ग्रायेदन या दी गई श्रनुज्ञप्ति में विनिदिष्ट परिसर के स्वामित्व या ग्रधिभोग, किराएदारी या अन्य ग्राधार, फर्म के संगठन या किसी अन्य सुसंगत विषय जो ग्रावेदक या ग्रनुज्ञप्तिधारी द्वारा, जब उसने ग्रावेदन किया हो या अनुज्ञप्ति ग्रमिप्राप्त करने के पण्नात्, जैगी भी स्थिति हो, दिये गये कथन की गुद्धता के सत्यापन के प्रयोजन के लिये अपेक्षित हो, दस्तावेजी साक्ष्य देगा।

122-ए अनुकारित का रहवारण और निकदन :

- (1) अनुतापम प्राधिकारो सा केवीय बनुवाल बन्-मोदन प्राधिकारी, ऐमी धन्द्रान्दियों ही निष् जी उसके द्वारा प्रवास की गई है या उन्ता पत्रीवरण दिया गता है, अनुअस्तिकारी को यह बतान का प्रवसर देने के प्रान्तात कि त्यों न ऐसा अधिव पारित किया जाए, कार्य देते हुए प्रयंग निवित्त अदिय हारा हम भाग कं अधीत जारी का गई, अनुक्रील को वह या उतना अर्पाध के लिए जो दह उद्यित मनझे, पूर्व ६५ से या उनमें से कुछ पहार्थी की बाजा जिनके यह संबंधित है, निल्लिन कर रुकेना वदि उसकी शत में प्रवद्योतिधारी यन्तित्व की गर्दों में से किसी कर्त का या अधिनियन वर उसके यदीन वनाए गए नियमों के उपबंध का पानन करने में ग्रराफल रहा है।
- (2) कोई भा ऐसा अनुदातिधारी, जिसकी अन्-ज्ञप्ति निर्विषित या रह कर दी गई है. उपनियम (1) के अधीन ग्रादेण की तारीख में नीन मास की भीतर उस आदेश की विकास राज्य सरकार या केन्द्रीय मरकार को स्रपीत कर सकेगा जो उसका विनिण्चय करेगी।

# 122-त अनुज्ञप्ति की शर्ने:

प्ररूप 28-ग में अनुज्ञिप्ति अनुसूची च, भाग 12-ख और 12-ग, जैसी भी स्थिति हो, में दी गई विभेष गर्तो, जो उस पदार्थ से संबंबित है, जिसकी वाबत यमुज्ञानि दी गई है और निम्नलिखित साधा-रण सर्ता के अधीन होती:--

- (i) (क) अनुनिध्यित्रारी, संपूर्ण मानव रवन, इनके घटकों के प्रसंस्करण और या रक्त अत्पाओं के विनिर्माण के निरु रक्त वैक के गम्चित रांचालन के लिए पर्याप्त कर्मचारिद्युंद, संयंव और ०रि-सर की अवस्था करेगा और उन्हें वनाए रखंगा।
  - ंख) अनुज्ञतिधारी नियम 122छ में विनि-र्दिण्ट कर्भचारिवन्द, परिसर और उपस्कर रखेगा। धनुजनिधारी धन्गूची च, भाग 1 अब और 12-ग में विनिदिष्ट भावस्पन ग्रमिनेख और रजिस्टर माहित्द
  - (ग) अनुज्ञप्तिवारी अपनी ही प्रयोगशाला में संपूर्ण मानव रक्त इसके घटकों और रकत अमादों का परीक्षण करेगा और ऐसे परीक्षणों की बाबत धनुन्दी च भाग 12व और 12ग में विनिद्धित

- रजिस्टर रखेगा। श्रानिलेख और रजिस्टर विनिर्माण की तारीख से पांच वर्ष की श्रवधि के लिए रखे जाएरे; और
- (घ) ग्रनुज्ञप्तिधारी, उराके द्वारा संग्रहित संपूर्ण मानव रक्त के प्रत्येक वैच/यूनिट को पर्याप्त माला, सभी विहित परीक्षण करने के लिए ग्रारंभिक नली में निर्देश नमूने के रूप में ग्रनुरक्षित/ परिरक्षित करेगा। ग्रनुज्ञप्तिधारी परी-क्षण के प्रयोजन के लिए निरीक्षक को निर्देश नमुने का प्रदाय करेगा।
- (ii) अनुज्ञस्तिधारी, अधिनियम के अधीन नियुक्त किसी भी निरीक्षक को पूर्व सूचना से या सूचना के विना किसी भी ऐसे परीसर में, जहां संपूर्ण मानव रक्त या मानव रक्त उत्पादों के प्रसंस्करण के लिए रक्त बैंक के कियाकलाप किए जारहे हैं। प्रवेण करने और परिसर तथा संयंत्र और विनिर्माण की प्रक्रिया और पदार्थ के मानकीकरण और परीक्षण के लिए प्रयोग किए गए माधनों का निरीक्षण करने की अनुज्ञा देगा।
- (iii) अनुज्ञिष्तिधारी, अधिनियम के अधीन नियुक्त किसी निरीक्षक को इन नियमों के अधीन रखे हुए सभी रिजस्टरों और अभिलेखों का निरीक्षण करने और विनिधित उत्पाद के नमूने लेने की अनुज्ञा देगा और ऐसे निरीक्षक को अभिनिश्चित करने के प्रयोजन के लिए कि अधिनियम और उसके अधीन बनाए गए नियमों के उपबंधों का पालन किया गया है या नहीं, ऐसी जानकारी देगा जो उसके हारा अपेक्षित हो।
- (iv) अनुज्ञिष्तिधारी, अनुज्ञापन प्राधिकारी को किसी रक्त बैंक संचालन के लिए/घटकों के लिए संपूर्ण सानव रक्त के प्रसंस्करण/रक्त उत्पादों के विनिर्माण के लिए उत्तरदायी विशेषज्ञ कर्मचारिवृन्द में किसी भी परिवर्तन और उस प्रयोजन के लिए प्रयुक्त परिसर या संयंत्र में किसी भी ऐसे तान्विक परिवर्तन की, जो अनुज्ञप्ति दिए जाने से पूर्व अनुज्ञापन प्राधिकारी की ओर सें किए गए अंतिम निरीक्षय, की तारीख के बाद किया गया है, समय-समय पर रिपोर्ट देगा।
  - (v) अनुज्ञप्तिधारी, अनुरोध किए जान पर अनु-जापन प्राधिकारी या केन्द्रीय अनुज्ञप्ति अनुमोदन प्राधिकारी या ऐसे प्राधिकारी को, जैसा अनुज्ञापन प्राधिकारी या केन्द्रीय अनुज्ञप्ति अनुमोदन अधिकारी निदेश दे,

- औपिध के ऐसे प्रत्येक वैच/यूनट से, जैसा अनुज्ञापन प्राधिकारी या केन्द्रीय अनुज्ञप्ति अनुभोदन प्राधिकारी समय-समय पर विनिर्दिष्ट करे, ऐसी माल्ला में नमूने प्रस्तृत करेगा जो ऐसे प्राधिकारी द्वारा परीक्षा के लिए पर्याप्त समझे जाएं और यदि ऐसा अपेक्षित हो, तो उस परीक्षण के ऐसे संपूर्ण प्रोटोकॉल भी प्रस्तृत करेगा, जिनका प्रयोग किया गया है।
- (vi) यदि अनुज्ञापन प्राधिकारी या वेग्द्रीय अनुज्ञप्ति अनुज्ञप्तिवारी पिसा निदेश देता
  है तो अनुज्ञप्तिवारी किसी भी ऐसे बैच/
  यूनिट का जिसकी बाबत अंतिम पूर्वगामी
  उपपरा के अधीन नमूने या प्रोटोकॉल प्रस्तुत
  किए गए हैं तब तक न तो विक्रय करेगा
  और न ही उसे विक्रय करने के लिए पेश
  करेगा जब तक कि उसे अनुज्ञापन प्राधिकारी
  या केन्द्रीय अनुज्ञप्ति अनुमोदन प्राधिकारी द्वारा
  या उसकी ओर से ऐसे बैच/यूनिट के विक्रय
  को प्राधिकृत करने वाला प्रमाणपत्न जारी न
- (vii) अनुज्ञप्तिधारी अनुज्ञापन प्राधिकारी या नियंत्रणं प्राधिकारी से यह जानकारी प्राप्त होने पर कि पदार्थ के किसी भी बैच/यूनिट के किसी भाग के बारे में अनुज्ञापन प्राधिकारी या केन्द्रीय अनुज्ञप्ति अनुमोदन प्राधिकारी इस निष्कर्ष पर पहुंचा है कि वह इन नियमों में विनिर्दिष्ट शक्ति, क्वालिटी या शुद्धता के मानकों के अनुरूप नहीं है और ऐसा निदेश प्राप्त होने पर विकय किए जाने वाले माल में से निकाल लेगा और जहां तक इन विशेष परिस्थितियों से संभव हो सके उस वैच/यूनिट के सभी माल को वापस मंगवा लेगा।
- (viii) अनुज्ञप्ति के अधीन विनिर्मित किसी भी अौषधि का तब तक विकय नहीं किया जाएगा जब तक कि उसके विनिर्माण के पश्चात् संपूर्ण अवधि तक उसके गुणों का परीक्षण करने के लिए आवश्यक पूर्वावधानियां न बरती गई हों। इसके अतिरिक्त इस अनुज्ञप्ति के अधीन विनिर्मित कोई भी बैच/यूनिट रजिस्ट्रीकृत चिकित्सा व्यवसायी के नुस्खों के विना किसी भी व्यक्ति को प्रदाय/वितरत नहीं की जाएगी।
  - (ix) अनुज्ञिष्तिधारी अधिनियम और इन नियमों के उपबंधों और ऐसी अपेक्षाएं, यदि को हों, जो अधिनियम के अध्याय 4 के अधीन बाद में बनाए गए किन्हीं नियमों में विनिदिष्ट हो, को पूरा करेगा परन्तु जहां नियमों में ऐसी

और अपेक्षा अपेक्षित हो, वहां वे राजाज में प्रकाणन से चार मास के पश्चात् प्रवृत्त होगी।

- (x) अनुज्ञप्तिधारी प्ररूप 35 में एक निरीक्षक पुस्तक रखेगा ताकि निरीक्षक उसमें अपने विचार और पाए गए दोषों को अभिनिखित कर सके।
- (xi) ग्रम्झिप्तिधारी ऐसे बैच/यृतिट के स्टाक को, जो मार्क परीक्षण के ग्रनुक्प नहीं है उत्तित विसंक्रमण पढ़ित द्वारा इस प्रकार से नष्ट बरेगा जिससे कोई रोग/संक्रमण न फैंबे।
- 6. उक्त नियमों की अनुसूची क में: (क) प्ररुप 26च के पश्चात निम्नलिखित प्ररूप अंत.स्थापित किया जाएगा, अर्थात :—

ंप्रहा-26 छं' (नियम 122इ देखिए)

न्वत बैंक के संचालन के लिए और या घटकों के लिए संपूर्ण मानव रक्त के प्रमंस्करण के लिए और/या रक्त उत्पादकों के विनिर्माण के लिए अनुजय्त के नवीकरण का प्रमाणपत्र।

<ol> <li>प्रमाणित किया जाता है कि अनुज्ञाप्त संख्या</li></ol>
जो तारीख
रक्त बैंक के संचालन के लिए और घटकों के लिए संपूण
मानव रक्त के प्रसंस्करण के निए और/या रक्त उत्पादों के
विनिर्माण के लिए दी गई थी, तारीख : : : : : से
• • • • • निकास के लिए नवीकरण किया जाता है।
•

1					,	,	,	
2	J	٠		,				,
_								

2. तकनीकी कर्मचारिवृन्द के नाम

> \*ग्रनुज्ञप्ति प्राधिकारी केन्द्रीय ग्रनुज्ञप्ति ग्रनुमोदन ग्रविकारी

\*जो लागू न हो उस काट दें।

(ख) प्ररूप 27 में शीर्प में और पैरा 1 में, "अनुसूची" जा में विनिर्दिष्ट को छोड़कर शब्दों और ग्रक्षर के स्थान पर "भाग 10ख और ग्रनुसूची जा में विनिर्दिष्ट औषधियों को छोड़कर" शब्द, अंक ओर ग्रक्षर रखे जाएंगे.

- (ग) प्ररूप 27क में शीर्ष में और पैरा 1 में, "ग्रनुसूची" ज के विनिदिष्ट को छोड़कर शब्दों और ग्रक्षर के स्थान पर, "भाग 10ख और ग्रनुसूची ञा में विनिदिष्ट औषधियों को छोड़कर" शब्द, अंक और ग्रक्षर रखे जाएंगे।
- (घ) प्ररूप 27-ख के परवात्, निम्नलिखित प्ररूप अंतःस्थापित किया जाएगा, ग्रथीत्:—

"प्रकृष 27-ग"

(नियम 122च देखिए)

रक्त दैंक के संचालन, घटकों के लिए संपूर्ण मानव रक्त के प्रसंस्करण और/या रक्त उत्पादों के निर्माण के लिए अनुज्ञप्ति देने या उसके नवीकरण के लिए आवेदन:

 मैं/हम
 रक्त वैंक के संचालन, घटकों के लिए संपूर्ण मानवरक्त के प्रसंस्करण के लिए या रक्त उत्पादों के विनिर्माण के लिए अनुज्ञप्ति देने/उसके नवीकरण के लिए आवेदन देता हं/देते हैं।

प्रसंस्करण के लिए भ्राशयित मानव रक्त घटकों के नाम विनिर्दिष्ट किए जाने चाहिए।

- 2. विशेषज्ञ कर्मचारिव्न्द के नाम, ग्रहंता और ग्रनुभव।
  - (क) चिकित्सा यधिकारी का नाम
  - (ख) रजिस्ट्रीकृत नर्स का नाम
  - (ग) रक्त वैंक तकनीशियन का नाम
- परिसर और प्लान निरीक्षण के लिए नैयार हैं/निरीक्षण के लिए तारीख ' ' को तैयार होंगे।
- 4. .... रु. की फीस और ... रु. कि निरीक्षण फीस ... रु. लेखा शीर्ष के श्रधीन सरकार के नाम जमा कर दी गई:

तारीख ..... हस्ताक्षर

पदनाम

(ङ) प्ररूप 28ख दे पश्चान्, निम्नलिखित प्ररूप अंतःस्थापित किया जाएगा, ग्रर्थात् :---

"प्ररूप 28ग

(नियम 122छ देखिए)

रक्त वैंक के संचालन, घटकों के लिए संपूर्ण मानव रक्त के प्रसंस्करण और/या रक्त उत्पादों के विनिर्माण के लिए अनुज्ञप्ति।

अनुज्ञप्ति की संख्या जारी करने की तारीख .....

- (1) · · · · · · को · · · · · · में स्थित परिसर में रक्त बैंक के संचालन घटकों के लिए संपूर्ण मानव रक्त के प्रसंस्करण और रक्त उत्पदों के विनिर्माण के लिए अनुज्ञप्ति दी जाती है।
- (2) उत्पाद का नाम
- 2. अनुशोदित विशोपज्ञ कर्नच।रिवृत्य का नाम--

- 3. श्रनुज्ञप्ति, श्रनुज्ञप्तिधारी द्वारा संपूर्ण मानव रक्त, मानव रक्त घटकों और/या रक्त उत्पादों के, जिनका विनिर्माण इस ग्रनुज्ञप्ति के श्रधीन किया गया हो, वितरण तथा विकय और वितरण या विकय के लिए भंडारण का, विकय के लिए दी गई श्रनुज्ञप्ति को लागृ णतौं के श्रधीन रने हुए, प्राधिकार देती है।
- 4. अनुज्ञप्ति : : : से : : : : तक प्रवृत्त रहेगी।
- 5. अनुज्ञप्ति नीचे दी गई शर्ती और अन्य ऐसी शर्ती के अध्यधीन हैं जो औषधि और प्रसाधन सामग्री श्रिधिनियम, 1940 के अधीन तत्समय प्रवृत्त नियमों में विनिर्दिष्ट की जाएं।

\*श्रनुज्ञापन प्राधिकारी

केन्द्रीय ग्रनुज्ञप्ति प्राधिकारीं

ग्रनुज्ञप्ति की शर्तें

- ग्रनुमप्ति और नवीकरण का कोई प्रमाणपव, जो प्रवृत्त हों, श्रनुमोदित परिसर पर रखा जाएगा और औपधि और प्रसाधन सामग्री श्रधिनियम, 1940 के श्रधीन नियुक्त किसीं निरीक्षक द्वारा मांगे जाने पर प्रस्तुत किया जाएगा।
- 2. विशेषज्ञ कर्मचारिवृन्द में किसी भी परिवर्तन की सूचना ग्रमुज्ञापन प्राधिकारी को तत्काल दी जाएगी।

- 3. अनुज्ञिष्तिधारी, अनुज्ञापन प्राधिकारी को अनुज्ञष्ति के अधीन संज्ञालित फर्स के गठन में किसी परिवर्तन की लिखित क्य में मूचना देगा । जहां फर्स के गठन में कोई परिवर्तन किया जाता है तो चालू अनुज्ञष्ति के संबंध में यह ममझा जाएगा कि वह उस तारीख से जिस तारीख को परिवर्तन होता है, अधिक से अधिक तीन मास को अवधि तक विधिमात्य रहेगी यदि परिवर्तन गठन करने वाली फर्म के नाम अनुज्ञापन प्राधिकारी से इस दौरान में नई अनुज्ञष्ति न प्राप्त कर ली गई हो ।"
- 7. उक्त नियम की अनुसूची च के भाग-12ख के स्थान पर, निम्नलिखित भाग रखे जाएंगे, अर्थात्:—

''भाग 12-व

रक्त बैंक है। लिए अपेक्षित स्थान, उपरकर और प्रदाय क. रक्त बैंक के लिए स्थान सुविधा

न्यूनतम कुल धव 100 वर्ग मीटर होगा जिसमें समुचित प्रकाण और मुंवातन की व्यवस्था होगी, उसके फर्ण धोने योग्य होंगे और उसमें निम्नलिखित कक्ष होंगे, स्रथात्:—

- (1) रजिस्ट्रीकरण और चिकित्सीय परीक्षा कक्ष जिसमें दाताओं के रजिस्ट्रीकरण और चयन के लिए पर्याप्त सुविधाएं होंगी।
- (2) रक्त संग्रहण कक्ष (यह वातानुकूलित होगा)।
- (3) रक्त ग्रुप सीरम परीक्षण प्रयोगशाला के लिए कक्ष (यह बातानुकूलित होगा)।
- (4) यकतणोध सिफिलिस, मलेरिया एच ग्राई बी-प्रतिपिंड ग्रादि जैसे संचारणणील रोगों की प्रयोग-णाला के लिए कक्ष (यह वातानुकूलित होगा)।
- (5) विसंत्रमण और धावन कक्ष
- (6) जलपान कथ
- (7) भंडार और ग्रभिलेख कक्ष

टिप्पग: रक्त बैंक की प्रयोगणाला का उपयोग स्नन्य रूप से रक्त बैंक कार्य के लिए किया जाएगा।

#### ख. उपस्कर

- (1) रक्त संग्रहण कक्ष है लिए
- रक्त दाता पलंग या भेजें:यह उपयुक्त और सुविधा÷ जनक रूप मे गद्देवार होने चाहिए और उसका ग्राकार भी समुचित होना चाहिए ।
  - 2. वैंड साइड में ज
  - 3. रक्तदावमापी और स्टेथोस्कोप
  - 4 रक्त दाताओं के ग्राराम के लिए पलंग
- 5. प्रशीतक—जो 4° से 6° सें. वे बीच तापमान बनाए रखना—जिनमें रिकार्ड करने वाली (धर्मामीटर) और संक्षेत्रक युक्ति होगी।

<sup>\*</sup> जो लागून हो उसे काट दें।

# 6. तोलन मणीन

- (2) हीमोग्लोबिन अवधारण
  - (i) कापर गल्केट घोल (ब्रापेक्षिक घनत्व 1 053)
  - (ii) विसंक्रमित कुंतिका
  - (iii) कोशिका नली (1.3 से 1.4 × 65 मिली मीटर या (पास्तेर निवेट)
  - (iv) केशिका नलियों के लिए रवड़ के वल्ब
  - (v) साही हीमोग्लोबिन मीटर/कॉलोरीपीटरिक प्रपाली
- (3) तापमान और स्पन्द अवधारण-
  - (i) डास्टरी थर्मामीटर
  - (ii) थर्मामीटर की अपूर्तिक रूप से स्वच्छ करने के लिए उपस्कर और सामग्री
  - (iii) घड़ी (जिसमें सैंकेंड की सुई लगी हो) ।

# रक्त ग्राधान:

- (4) (क) यू एस पी के विनिर्देशानुसार व्ययन योग्य प्नास्टिक पैक (संवृत तंव)
- (ख) पक्त संग्रहण वोतलें।

540 मिली लिटर—500 मिली लीटर तक की अंगांकित धामता बाली, जिसमें विपरीत दिशाओं में 0से 500 मिली. तक 50 मि.ली. के अंतराल को उपर्दशित करने वाली दो रेखाएं होंगी।

# (ग) प्रति स्कंदक

प्रतिस्कंदक घोल विसंक्रमित पाइरोजन मुक्ष्त होगा और उपकी संरचना इस प्रकार की होगी कि संपूर्ण मानव रक्त और सभी पृथक मानव रक्त घटकों की समाधानप्रद सुरक्षा और प्रभावकारिता को सुनिश्चित किया जा सके।

- (i) 100 मिली लीटर रक्त के लिए सिट्रेट फॉस्फेट डेक्स्ट्रोज घेल (सी पी डी)—या सिट्रेट फॉस्फेट डेक्सट्रोज—ऐडेनीन (सीपीडी—ए) 14 मिली लीटर घेल अपेक्षित होगा । रक्त घटकों की तैयारी के लिए प्रयुक्त दुगुने और तिगुने रक्त संग्रहण थैलों का प्रयोग किया जा सकेगा ।
  - (2) 100 मिली लीटर रक्त के लिए अम्ल सिट्रेट डेक्सेट्रोज घोल (ए.सी.डी. और सूत्र ए)—आई पी ग्रेड 15 मिली लीटर घोल अपेक्षित होगा।

टिप्पण: ग्रनुज्ञप्तिधारी यह सृनिष्चित करेगा कि प्रतिस्कंदक घोल की बोतलें/पैक ग्राई.पी/यू.एस.पी. में ग्रधिकथित मानकों के ग्रनुरूप हों।

(5) व्ययन योग्य विसंक्रमित रक्त स्त्राव सैंट ही प्रयोग में लाए जाएगे

# (6) स्तायान येड

फिल्टर और प्लास्टिक स्पाइक वाले विसंक्रमित व्ययन योज गैट ही प्रयोग में ताएं जाएंगे ।

# (2) भागा समागः

- 1. ग्रावसीयन सिलेंडर विसमें मास्या (गेज और दाब रेगुलेटर) हो
  - 2. पांच प्रतिशत ग्लुकोज या सामान्य सेलाइन
  - 3. ग्रावेक ग्राकार है विसंक्रमित मिरिज और गृई
  - 4. व्यवन योग्य विशंक्रमित आई.वी. फांट मेट
- ऐड्रिनलीन, रोराई्रेनालिन, मैफानटिन, बेटामैथासन या डैक्सामैथागन के एम्यूल, इंजेक्शन मैटोबलोप्रेमाइड
  - 6. ऐस्प्रिन और स्प्रिट एमोनिया एरोमैटिक
  - (8) महापक बन्त्एं
- जैसे कंबन, एमेसिज बेमिन, रक्त रोधी, सेट कलैम्प.
   म्पंज फोरसेप्स, ड्रेमिंग जारं, घोल जार, अपिषट केन
- 2. रूई (कवास) के मध्यम आकार के गोल टुकड़े 1.25 में.भी. माप के, चिपकाने वाले टेर ।
- 3. विकृत स्प्रिट, टिचर द्यायोडीन, हरा साबुन या द्रव साबुन और प्रोक्षेत इंजेवशन या जाइलोक्षेत
  - 4. कागज के नैपकीन या तौलिए

#### ग. जलपान सवा

पलेबोटोमी के पश्चात् दाता को जलपान देने के लिए भी व्यवस्था की जाएगी जिससे कि उसे किसी प्रतिकूल प्रति-कियाओं की दशा में रक्त बैंक में प्रेक्षण दे लिए रखा जा

# घ. प्रयोगणाला/उपस्कर

- (1) रीफजरेटर जिसमें 4° सें. से 6° सें. तक तापमान बनाए रखा जा सके जिसमें ग्रिभिलेखन (रिकार्डिंग) थर्मामीटर हो । रेफिजरेटर में तापमान ग्रिभिलेखन (रिकार्डिंग) और संचेतक (श्रलामं) युक्ति होगी ।
  - (2) संयक्त सूक्ष्मदर्शी—जिसमें निम्न और उच्च शक्ति वाला श्रभिदृश्यक हो ।
  - (3) अपकेन्द्रण मेज माडल।
  - (4) जंल ऊप्मक—एक 37° सें. के लिए दूसरा 56° सें. के लिए।
  - (5) स्लाइड तकनीक की दशा में RH दर्शन बाक्स
  - (6) ऊष्मायित, ऊष्मास्यैतिक नियंत्रण सहित।
  - (7) सिफिलिस के लिए सीरमी परखों के लिए यांत्रिक हल्लिल ।

- (8) निलयों में की गई परखों के प्रेक्षण के लिए दस्ती लेंस।
- (9) विभिन्न ग्राकार के सीरमी अंशांकित पिपेट ।
- (10) पिपेट (पास्तर)
- (11) कांच की स्लाइडें।
- (12) विभिन्न ग्राकार की परखनली/माइकोटाइटर प्लेंटे (युया वी प्रकारकी)
- (13) ग्रवक्षेपण निलयां, 6 मि.मी. × 50 मि.मी. विभिन्न आकार के कांच व्रकर
- (14) विभिन्न निर्देश के परख नली रैंक
- (15) ग्रन्तराल कालद (टाइगर), विद्युत का या स्प्रिंग लगा हुम्रा।
- (16) कांच के बर्तनों को पर्याप्त रूप से स्वच्छ करने के लिए उपस्कर और सामग्री ।
- (17) पोत परिवहन ग्राधान ।
- (18) यकृतशोध के लिए रीडर सहित स्रार पी एच ए/इ एल स्र.ई एस ए परीक्षण किट
- (19) धावन बोतल, फिल्टर पेपर
- (20) रक्त यूनिटों के यानांतरण के लिए बर्फ, बाक्स
- (21) ऊष्ण वायु ग्रवन
- (22) सादी और ई डी टी ए शीशी
- (23) इ एल ग्राई एस ए रीडर, धावक और माइको-पिपेट एच आई वी प्रतिपिंड परीक्षण के लिए (यदि एच ग्राई वे प्रतिपिंड परीक्षण इ एल ग्राइ एस ए किटों द्वारा किया जाता है।

# 3. ग्रभिकर्मक:

- (1) मानक रक्त वर्गीकरण सीरा: ऐटी, ए और ऐंटी, बी और ऐंटी, एबी, सभी दुगने मान्ना में और प्रत्येक भिन्न छाप काया यदि एक ही प्रदायकर्ता से हो तो, प्रत्येक प्रदाय, भिन्न लॉट संख्यांक का होना चाहिए।
- (2) RL टाइपिंग सीराः सभी दुगनी मात्रा और प्रत्येक भिन्न छाप का, या यदि एक ही प्रदायकर्ता से हों तो, प्रत्येक प्रदाय, भिन्न लॉट संख्यांक का होना चाहिए ।
- (3) सिफिलिस के लिए सीरमी परखों के लिए ग्रिभि-कर्म क नियंत्रणों के लिए पाजिटिव सीरा।
- (4) प्रति (ऐंटी) मानव ग्लोबुलिन सीरम (क्रम्ब्स सीरम)
- (5) परखों/एन्जाइम के लिए एल्बुमिन 20 प्रतिशत या 30 प्रतिशत

- (6) 0.9 प्रतिशत लवण (से लिन)
- (7) कल्चर मीडिया और निलयां
- (8) मोम पेंसिल और लेबल
- (9) यकृतशोध के लिए आर पी एच ए/इ एल आई एस ए किटें
- (10) प्रयोगशाला का कांच का सामान स्वच्छ करने के लिए अपमार्जंकया ग्रन्य कारक
- (11) इएल ग्राई एस ए किट/तीव्र निदान किट यदि ग्रनुज्ञप्तिधारी एचग्राई वी प्रतिपिंड परीक्षण के लिए विकल्प देता है।
- (च) साधारण प्रदाय ऑटोंक्लेब, जिसमें तापमान और दबाव ग्रभिलेखन युक्ति लगी हो
- (छ) कामिक

प्रत्येक रक्त बैंक में पूर्णकालिक तकनीकी कर्मचारिवृन्दों के निम्नलिखित प्रवर्ग होंगें और उनकी संख्या काम की माला पर निर्भर करेगी।

- (1) केन्द्रीय सरकार द्वारा मान्यताप्राप्त विश्वविद्यालय का चिकित्सा स्नातक हो और नियमित सेवा के दौरान 6 मास का रक्त बैंक में कार्य करने का ग्रनुभव हो । उसके पास रक्त वर्ग सीरम, रक्त वर्ग किया पद्धति और चिकित्सा सिद्धांत जो रक्त के उपापन में अंतर्गस्त हैं, में पर्याप्त ज्ञान और ग्रनुभव होना चाहिए ।
- (2) रजिस्ट्रीकृत नर्स
- (3) रक्त बैंक तकनीशियन जिसके पास एम एल टी ऋईंता या उसके समतुल्य हो और जिसे रक्त वर्गीकरण और सीरम परीक्षण कार्य का पर्याप्त म्रनुभव हो।
- (4) प्रयोगशाला सहायक जिसके पास एम एल टी ऋर्हताएं या उसके समतुल्य हो ।
- (5) प्रयोगशाला परिचर ।
- ज. सम्पूर्ण मानव रक्त का परीक्षण
- (1) ग्रनुज्ञप्तिधारी की यह जिम्मेदारी होगी कि वह यह सुनिश्चित कर कि प्रदत्त सम्पूर्ण मानव रक्त भारतीय भेषज कोश के नवीनतम संस्करण में ग्रिधकथित और केन्द्रीय सरकार द्वारा समय-समय पर प्रकाशित ग्रन्थ सभी परीक्षणों के मानकों के ग्रानुरूप है।
- (2) एच आई वी-प्रतिपिंड से मुक्ति (एड्स परीक्षण)-प्रत्येक अनुज्ञप्तिधारी एसे प्रत्येक रक्त यूनिट के नमूने का, ऐसी प्रयोगशाला से जिसे केन्द्रीय सरकार द्वारा इस प्रषोज के लिए विनिर्दिष्ट किया गया हो या स्वयं की प्रयोगशाला द्वारा एच आई वी प्रतिपिंड से मुक्ति के लिए परीक्षण

कराएगा । इस प्रकार के परीक्षण की तारीख आधान के लेबल पर भी स्रभिलिखित की जाएगी ।

# टिप्पण :

- (1) रक्त दाताओं के रक्त के नमूने पाइलट ट्यूब (निल्का) में और प्राप्तकर्त्ता के रक्त के नमूने ग्राधान के पश्चात् 72 घंटे तक परिरक्षित रखे जाएंगे।
- (2) स्राधान के लिए स्राशयित रक्त का किसी भी प्रक्रम पर हिमीकरण नहीं किया जाना चाहिए।
- (3) रक्त ग्राधानों का किसी भी प्रक्रम पर प्रत्यक्ष रूप से हिम स्पर्ण नहीं होना चाहिए ।

#### ा. ग्रवसान तारीख

1. रक्त निकाले जाने की तारीख और श्रवसान की तारीख जो उक्त नियमों की श्रन्सूची "त" के श्रधीन विहित की गई हो ।

# भ्रभिलेख और लेबल

- (1) ग्रिभिलेख—स्थाई ग्रिभिलेख में, जिसे रखने की ग्रनुज्ञप्तिधारी से ग्रिपेक्षा की जाती है, निम्निलिखित विशिष्टयां सम्मिलित होंगी:—
  - (1) रक्त दाता रिजस्टर—जिसमें कम संख्या, रक्त स्नाव की तारीख, रक्त दाता का नाम, जिसमें उसकी विशिष्टियां, स्रायु, वजन, हीमोग्लोबिन, रक्त दबाव, चिकित्सीय परीक्षा, चिकित्सा स्रधिकारी, दाता रक्त-स्नाव, बोतल संख्या और उस रोगी का ब्यौरा जिसके लिए दान किया गया हो, उपदिशत होंगे, दान की बाबत टिप्पणी (स्वेच्छिक, प्रतिस्थापित/वृत्तिक, (व्ययन स्रभिलेख)।
  - (2) रक्त स्टाक रिजस्टर—जिसमें बोतल संख्या, संग्रहण की तारीख, ग्रवसान की तारीख, मिलीमीटर में माला ए बी ओ/ग्रार एच वर्ग, एच ग्राई वी प्रतिपिंड मलेरिया पृष्ट सेंटीजन के वी डी आर एल यकृत-, शोध—वी के परीक्षण के लिए परिणाम, रक्तदाता का नाम विशिष्टियों सहित, दान की बाबत टिप्पण (स्वैच्छिक/प्रतिस्थापित/वृत्तिक), उपयोग निर्गमन संख्या, संघटक तैयार किए णए या त्यक्त, जो चिकित्सा ग्रिधकारी भारसाधक द्वारा प्रमाणित हो, उपर्वांगत हो । ग्रुपवार रिजस्टर रखा जाएगा ।

टिप्पण: रक्त घटकों के लिए भी ऐसा ही ग्रिभिलेख रखा जाएगा।

(3) निर्गमन रजिस्टर—जिसमें क्रम संख्या, निर्गमन की तारीख, बोतल संख्या, एबी ओ/ग्रार एच वर्ग, मिलीमीटर में कुल मात्ना, प्राप्तकर्ता का नाम, प्राप्तकर्ता का वर्ग (ग्रुप), यूनिट/संस्था, ग्रन्योन्य मिलान रिपोर्ट का ब्यौरा, ग्राधान के लिए संकेत, उपदिशत हो।

- प्रदत्त उत्पाद का ब्यौरा (संपूर्ण मानव रक्त, लाल सैल/ प्लेटलेट स्नांद्र कायो ग्रवक्षेप ग्रादि); प्रदत्त मान्ना संयोज्यता रिपोर्ट, जारी करने वाले व्यक्तियों के हस्ताक्षर।
- (4) ए सी डी/सी पी डी बोतलों/पैकों के लिए रिजस्टर जिसमें फोर्म का ब्यौरा, बैच संख्या, प्रदाय की तारीख और परीक्षण के परिणाम दिए गए हों।
- (5) प्रयुक्त निदानकारी के लिए रिजस्टर—

  ग्रिभिकर्मकों का नाम, बैच संख्या का ब्यौरा और

  प्रदाय की तारीख तथा प्रयोग की तारीख ।
- (6) रक्त बैंकों को रक्त बोतल के साथ रोगी के रक्त की अन्योन्य सेल रिपोर्ट जारी करनी चाहिए।
- (7) ग्राधान प्रतिकुल ग्रभिकिया ग्रभिलेख ।
- (8) व्ययन सूई, सिरिज, प्लास्टिक थैला, सैट के कय, उपयोग और वर्तमान स्टाक का अभिलेख रखा जाएगा।
- (9) लेबल

रक्त के ग्राधान पर लगे लेबल में निम्नलिखित विशिष्टियां चाहिएं, ग्रर्थात् :—

- (1) बोतल का कम संख्यांक
- (2) रक्त निकाले जाने की तारीख और श्रवसान का तारीख जो रक्त नियमों की श्रनुसूची त के श्रधीन विहित की गई हो ।
- (3) तत्संबंधी रंग सहित ए बी ओ वर्ग;

विभिन्न वर्गों के लिए लेबलों के लिए निम्म्नलिखित रंग स्कीम का प्रयोग किया जाए:——

ग्रुप	लेबल का रंग
ओ	नीला
ए	पीला
बी	गुलाबी
ए बी	श्वेत

- (4) यकृत शोध, सिफलिस, एच ग्राई वी प्रतिपिंड से मुक्ति के लिए किए गए परीक्षण के परिणाम
- (5) ग्रार.एच. ग्रुप।
- (6) तरल की कुल माल्ला, रक्त का ग्रनुपात, स्कंदनरोधी की प्रकृति और प्रतिशतता ।
- (7) रक्त बैंक का नाम और पता
- (8) अनुज्ञप्ति संख्यायें
- (9) निरन्तर  $4^\circ$  सें. से  $6^\circ$  सें. पर रखिए ।
- (10) दिए जाने के उपस्कर में फिल्टर युक्त ब्ययन योग्य ग्राधान सेंटों का प्रयोग ग्रवश्य किया जाना चाहिए।

(11) प्राप्तकर्ता में प्ररूपी प्रतिपिंड रहित समुचित संयोज्य ग्रन्योन्य मेल वाले रक्त का उपयोग किया जाना चाहिए।

### चेतावनी

(12) यदि क्षय का कोई स्पष्ट लक्षण दिखाई देता हो तो ग्रन्तर्वुस्तु का प्रयोग जैसे रक्त संलयन, स्कंदन या विवर्णता नहीं किया जाना चाहिए।

टिप्पण: रक्त बैंक की उपरोक्त भ्रपेक्षाएं श्रनुज्ञापन प्राधिकारी या केन्द्रीय श्रनुज्ञप्ति प्राधिकारी के विवेकानुसार उपान्तरण के श्रध्यधीन होगी यदि विनिर्माण संक्रियाओं के विस्तार को ध्यान में रखते हुए उसकी यह राय हो कि किसी विशिष्ट मामले की परिस्थितियों में शिथिल करना या उनमें परिवर्तन करना श्रावश्यक है।

#### भाग 12ग

क. सम्पूर्ण मानव रक्त से रक्त घटकों के प्रसंस्करण के लिए ग्रमुज्ञप्ति देने के लिए न्यूनतम ग्रपेक्षाएं ।

मानव रक्त घटक, रक्त बैंक सेवाओं के भाग के रूप में रक्त बैंकों द्वारा तैयार किए जाते हैं। मानव रक्त घटक ब्रनाने के लिए ग्रनुज्ञप्ति देने के लिए ग्रांवश्यक न्यूनतम ापेक्षाएं इस प्रकार होंगी:---

# (क) परिसर:

सामान्य रक्त बैंक के लिए अपेक्षित क्षेत्र के अतिरिक्त<sub>.</sub> न्यूनतम क्षेत्र 50 वर्ग मीटर अपेक्षित है।

सम्पूर्ण क्षेत्र 20° से 25° से. के तापमान नियंत्रण सिहत वातानुकूलित होना चाहिए । यह साफ सुथरा होगा तथा इसमें पर्याप्त प्रकाश की व्यवस्था होगी और उसके फर्श धोने योग्य होंगे । इसे उपयुक्त रूप से सुसज्जित भी किया जाएगा।

मानव रक्त घटकों के तैयारी दुगुने या तीन गुने पैकों का प्रयोग करके सिवाय लाल रक्त सैल सान्द्र के, जिनके लिए अंतरण पैकों सहित एकल बैग का प्रयोग किया जाएगा केवल बन्द पद्धति के भ्रधीन की जाएगी;

# (ख) उपस्कर:

- (i) प्लास्टिक पैक—–दुगना/तीन गुना/चार गुना
- (ii) एयरकंडीशनर
- (iii) पटलीय वायु प्रवाह बेंच
- (iv) उपयुक्त प्रशीतित अपकेन्द्रित
- (v) प्लाज्मा एक्सप्रैसर
- (vi) कर्तक (क्लीपर) और/या क्लिप परावैद्युतिकी (डाइउलैक्ट्रिक)सीलर

- (vii) तुलन युक्ति
- (viii) शुष्क रबड़ तुलन सामग्री
- (ix) धमनी (ब्रारटरी), चिमटी (फोरसेप्स) और कैंची
- (x) समुचित लेबल
- (Xi) रेफिजरेटिर जिसमें 1° सें. से 5° सें. तक तापमान बनाए रखा जा सके जिसमें ग्रिभिलेन (रिकार्डिंग) थर्मामीटर हो। रेफिजरेटर में तापमान ग्रिभिलेखन (रिकार्डिंग) और संचेतक (ग्रलार्म) युक्ति होगी।
- (xii) लघु पट्टिका पृथक्कारी और लघु पट्टिका उन्मायित्न (इंक्यूवेटर)
- (xiii) डीप फ्रीजर जिसमें  $30^{\circ}$ से  $40^{\circ}$  सें. तक तापमान रहना चाहिए।

# (ग) कार्मिक:

मानव रक्त घटकों के प्रसंस्करण के लिए नीचें उल्लिखित तकनीकी कर्मचारिवृन्द ग्रपेक्षित हैं।यह रक्त बैंक के तकनीकी कर्मचारिवृन्द के ग्रतिरिक्त हैं:—

- (i) तकनीकी पर्यवेक्षक/ज्येष्ठ तकनीकी सहायक जिनके पास उपयक्त ग्रहंता और ग्रनुभव है।
- (ii) प्रयोगशाला तकनीकी/प्रयोगशाला सहायक जिनके पास उपयुक्त अर्हता और अनुभव है।
- (iii) जहां प्लेज्मा फेरिसिस सामान्यतया होती हो वहां रिजस्ट्रीकृत नर्स ग्रपेक्षित है ।

# (घ) परीक्षण सुविधाएं:

साधारण—ए बी ओ और म्रार एच (डी) वर्गीकरण के लिए सुविधाएं, यकृतशोध—बी एंटोजन, वी डी म्रार एल और एल म्राई वी प्रतिपिंड परीक्षण प्रत्येक और सभी रक्तदाताओं के लिए, जहां रक्त का प्रयोग रक्त घटकों में से किसी के लिए किया जाना हो, म्रावश्यक है। परीक्षण के परिणाम लेबल पर उपर्दाशत किए जाएंगे।

# (1) मानव के लाल रक्त कोशिक (सैल) सान्द्र

ये नेमी रक्त बैंक सेवाओं का भाग है। यदि प्लाज्मा और ग्रन्य कोशिकीय घटकों का प्रयोग नहीं किया जाता है और प्लाज्मा का पृथक्करण पटलीय वायु प्रवाह बैंच के ग्रधीन किया जाता है और यदि रक्त बैंक श्रनुज्ञप्ति है तो उसके लिए पृथक ग्रनुज्ञप्ति ग्रपेक्षित नहीं है ग्रन्यथा उन्हें प्लास्टिक पैक (बंद पद्धति) में से तैयार किया जाना चाहिए।

- (2) लघुपिट्टका सान्द्र :
- (i) लघुपिट्टका सान्द्र की गणना  $4.5 \times 10^{\circ}$  प्रित् यूनिट से कम नहीं हो ।
- (ii) भंडारकरण, लघुपिट्टका सान्द्रों का ग्रिधिक से ग्रिधिक तीन दिन के लिए लघु पिट्टकाओं के विपुंजन को बनाए रखने के लिए धीमें प्रक्षोमन सहित  $20^\circ$  सें. से  $25^\circ$  सें. तक भंडार किया

जाना चाहिए और पी एच 6 से कम नहीं होना चाहिए। उसमें 50 मिली लीटर प्लाज्म होना चाहिए। यदि लघुपिट्टका सान्द्रों को 4° सें. पर रखा जाता है तो प्रक्षोमन की स्नावश्यकता नहीं है और उसमें कम से कम 20 मिलीलीटर प्लाज्मा होना चाहिए।

# (iii) संयोज्यता परीक्षण

चूंकि लघुपिट्टका सान्द्र में लाल कोशिकाओं (सैलों) की परिवर्तनीय संख्या अंतर्विष्ट होती है इसलिए संषोज्य ए बी ओ और ग्रार एच (डी) कारक ग्राधान के लिए ग्रावश्यक है, चूंकि लघुपिट्टका में एव एल एंटीजन होते हैं इसलिए विशेष कर ऐसी स्थिति में एच एल ए समान रक्त दाता प्रयोग ग्रिधमानी है, जहां लघुपिट्टका ग्राधान ग्रपेक्षित हो।

# (3) कणिकाणु सान्द्र:

- (i) भंडारकरण ग्रधिक से ग्रधिक 24 घंटे की ग्रविध के लिए  $4^\circ$  से  $6^\circ$  सें. तक रखा जाना चाहिए।
- (ii) कणिकाणु सान्द्र का यूनिट  $1 \times 10^\circ$  से कम नहीं होना चाहिए।
- (iii) वर्ग विनिर्दिष्ट परीक्षण किया जाना चाहिए ।
- (4) ग्रलवण हिमशीतित प्लाज्मा: रक्त संग्रहण के पश्चात् 4 से 6 घंटे के भीतर जब प्लाज्मा हिमशीतित हो जाए और उसे ग्रति हिमशीतित— —30° सें. से 40° सें. पर रखा जाए तो उसे 1 वर्ष की ग्रवधि तक परिरक्षित रखा जा सकता है।
- (5) कायो—अवक्षेपः यह उपयुक्त पद्धित द्वारा हिमशीतित प्लाज्मा का हिमशीतित करके तैयार किया गया प्रतिटीयोफीलिया कारक का सान्द्र है। प्लाज्मा संग्रहण के 6 घंटे के भीतर रक्त से हिमशीतित किया जाता है।
  - (क) भंडारकरण हिम ग्रवक्षेप को 30° सं. से ग्रनिधक तापमान पर परिरक्षित रखा जाएगा और 1 वर्ष की ग्रविध के लिए परिरक्षित रखा जा सकता है।
  - (ख) सिकयता-उन अंतिम उत्पादों में प्रतिहीमी फीलियाकारक संक्रियता प्रति प्रदाय यूनिट 50 यूनिटों से कम नहीं होनी चाहिए ।

#### ख. प्लाज्मा फेरेसिस

प्लाज्मा फेरेसिस के लिए रक्त घटकों के लिए जिस क्षेत्र को ग्रावश्यकता है उसके भीतर एक पृथक कक्ष की व्यवस्था की जानी चाहिए । परन्तु यदि इस प्रयोजन के लिए ग्रलग स्थान की व्यवस्था है तो उसे रक्तदाता कक्ष में भी किया जा सकता है । उन रक्त बैंकों को, जिन्हें रक्तदाताओं हैं पर प्लाज्मा फेरेसिस करने के लिए विनिर्दिष्ट रूप से ग्रनुज्ञात किया गया है नीचे उल्लिखित मार्गदर्शन का ग्रनुसरण करना चाहिए।

- (क) रक्तदाता: इसके लिए वही अपेक्षाएं हैं जो सम्पूर्ण मानव रक्त दाता के चयन के लिए हैं उसके अतिरिक्त प्लाज्मा फेरेसिस के लिए हैं उसके अतिरिक्त प्लाज्मा फेरेसिस के लिए दाता का, वजन हिममोटोकरिट या होमोग्लोबिन सान्द्रण और कुल सीरम प्रोटीन के लिए ध्यानपूर्वक मूल्यांकन किया जाना चाहिए। निष्कर्ष अभिलिखित किए गए हैं। चिकित्सा अधिकारी को यह प्रमाणित करना चाहिए कि दाता प्लाज्मा फेरेसिस के थोग्य है और ऐसा किसी प्रशिक्षण प्राप्त व्यक्ति द्वारा चिकित्सा अधिकारी के पर्यवेक्षणाधीन किया जाना चाहिए।
- (ख) सूचित सहमितः दाता को प्लाज्मा फेरेसिस के कारण हो सकने वाले परिसंकट के बारे में स्पष्ट रूप से बता देना चाहिए और उनकी लिखित सहमित प्राप्त करनी चाहिए।
- (ग) प्लाज्मा का संग्रहण
  - (1) प्रत्येक बैठक--500 मिलीलीटर 15 दिन में एक बार प्लाज्मा ।
  - (2) प्रत्येक मास---1000 मिलीलीटर प्लाज्मा से · ग्रनधिक ।

टिप्पण: रक्त घटकों की उपरोक्त श्रपेक्षाएं श्रनुज्ञापन प्राधिकारी या केन्द्रीय श्रनुज्ञप्ति श्रनुमोदन प्राधिकारी के विवेकानुसार उपान्तरण के श्रध्यधीन होगी यदि विनिर्माण संक्रियाओं के विस्तार को ध्यान में रखते हुए उसकी यह राय हो कि किसी विशिष्ट मामले की परिस्थितियों में उन्हें शिथिल करना या उसमें परिवर्तन करना श्रावश्यक है।

[सं. एक्स-110/13/9/85~डी एम एस एंड पी एफ ए] भूपेन्द्र सिंह लाम्बा, संयुक्त सचिव

औषधि और प्रसाधन सामग्री नियम, 1945, 1-5-79 तक यथा संशोधित रूप में स्वास्थ्य और परिवार कल्याण (स्वास्थ्य विभाग) उपखंड में जिसमें औषधि और प्रसाधन सामग्री, ग्रिधिनियम और नियम (पी.डी.बी.एस.) भी सम्मिलित है, ग्रन्तविष्ट है। तत्पश्चात् उक्त नियमों में भारत के राजपत्र भाग-2, खंड(3) (1) में प्रकाशित निम्नलिखित ग्रिधिसूचनाओं द्वारा संशोधित किए गए हैं:—

- 1. सा.का.नि. 1241 तारीख 6-10-1979
- 2. सा.का.नि. 1242 तारीख 6-10-1979
- 3. सा.का.नि. 1243 तारीख 6-10-79
- 4. सा.का.नि. 1281 तारीख 12-10-89
- 5. सा.का.नि. 430 तारीख 19-4-80
- 6. सा.का.नि. 779 तारीख 26-7-60
- 7. सा.का.नि. 540 (ग्र) तारीख 22-9-80

8. सा.का.नि. 680(ग्र) तारीख 5-12-80 9. सा.का.नि. 681 (ग्र) तारीख 5-12-80 10. सा.का.नि. 682(म्र) तारीख 5-12-80 11. सा.का.नि. 27(म्र) तारीख 17-1-81 12. सा.का.नि. 478(म्र) तारीख 6-8-81 13. सा.का.नि. 62(म्र) तारीख 15-2-82 14. सा.का.नि. 462(म्र) तारीख 22-6-82 15. सा.का.नि. 510(ग्र) तारीख 26-7-82 16. सा.का.नि. 13(ग्र) तारीख 26-7-82 17. सा.का.नि. 318(ग्र) तारीख 1-5-84 18. सा.का.नि. 331 (ग्र) तारीख 8-5-84 19. सा.का.नि. 460 (ग्र) तारीख 20-6-84 20. सा.का.नि. 487 (अ) तारीख 2-7-84 21. सा.का.नि. 89 (ग्र) तारीख 16-2-85 22. सा.का.नि. 788(ग्र) तारीख 10-10-83 23. सा.का.नि. 17(ग्र) तारीख 7-1-84 24. सा.का.नि. 1049(ग्र) तारीख 29-5-86 25. सा.का.नि. 1060(ग्र) तारीख 5-9-86 26. सा.का.नि. 1115(ग्र) तारीख 30-9-86 27. सा.का.नि. 71(ग्र) तारीख 30-1-87 28. सा.का नि. 570(ग्र) तारीख 12-6-87 29. सा.का.नि. 626(ग्र) तारीख 2-7-87 30. सा.का.नि. 792(ग्र) तारीख 17-9-87 31. सा.का.नि. 371(ग्र) तारीख 14-3-88 32. सा.का.नि. 75(म्र) तारीख 2-6-88 33. सा.का.नि. 675(ग्र) तारीख 2-6-88 34. सा.का.नि. 676(ग्र) तारीख 2-6-88 35. सा.का.नि. 677(ग्र) तारीख 2-6-88 36. सा.का.नि. 681(ग्र) तारीख 6-6-83 37. सा.का.नि. 735(ग्र) तारीख 24-6-88 38. सा.का.नि. 813(ग्र) तारीख 27-7-88 39. सा.का.नि. 944(ग्र) तारीख 21-9-88 40. सा.का.नि. 43(ग्र) तारीख 20-1-89 41. सा.का.नि. 44(ग्र) तारीख 20-1-89\* 42. सा.का.नि. 100(ग्र) तारीख 14-2-88 43. सा.का.नि. 443(म्र) तारीख 12-4-89 44. सा.का.नि. 588(म्र) तारीख 2-6-89\* 45. सा.का.नि. 691(ग्र) तारीख 11-7-89 46. सा.का.नि. 784(ग्र) तारीख 28-8-89 47. सा.का.नि. 16(ग्र) तारीख 1-10-89 48. स 6. का . नि . 731 (म्र) तारीख 23-8-90 49. सा.का.नि. 865(ग्र) तारीख 25-10-90 50. सा.का.नि. 11(ग्र) तारीख 7-1-91

51. सा.का.नि. 223(ग्र) तारीख 19-4-91 52. सा.का.नि. 246(म्र) तारीख 1-5-91 53. सा.का.नि. 301(ग्र) तारीख 7-6-91 🛤 सा.का.नि. 302(ग्र) तारीख 7-6-91 55. सा.का.नि. 491(ग्र) तारीख 25-7-91 56. सा.का.नि. 495(ग्र) तारीख 25-7-91 57. सा.का.नि. 532(ग्र) तारीख 14-8-91 58 सा.का.नि. 626(ग्र) तारीख 14-10-91 59. सा.का.नि. 668(ग्र) तारीख 7-11-91 60. सा.का.नि. 730(ग्र) तारीख 10-12-91 61. सा.का.नि. 59(ग्र) तारीख 22-1-92 62. सा.का.नि. 305(ग्र) तारीख 4-3-92\* 63. सा.का.नि. 445(म्र) तारीख 30-4-92 64. सा.का.नि. 597(ग्र) तारीख 17-6-92 65. सा.का.नि. 663(ग्र) तारीख 3-7-92 66. सा.का.नि. 796(म्र) तारीख 1-10-92 67. सा.का.नि. 923(ग्र) तारीख 14-12-92 MINISTRY OF HEALTH AND FAMILY

# WELFARE

(Department of Health)

#### NOTIFICATION

New Delhi, the 22nd January, 1993

G.S.R. 28(E).—Whereas a draft of certain rules further to amend the Drugs and Cosmetics Rules, 1945 was published as required by Sections 12 and 33 of the Drugs and Cosmetics Act, 1940 (23 1940), with the Notification of the Government of India, in the Ministry of Health and Family Welfare (Department of Health), No GSR 352(E) dated the 26th March, 1992, in the Gazette of India, Extraordinary Part II, Section 3, Sub-section (i), dated the 26th March, 1992 inviting objections and suggestions from all persons likely to be thereby before the expiry of period of forty five days from the date on which the copies of the Gazette were made available to the public.

And whereas the copies of the Gazette were made available to the public on the 30-4-1992.

And whereas, the objections received from the public on the said draft rules have been taken into consideration by the Central Government.

Now, therefore, in exercise of the nowers ferred by the Sections 12 and 33 of the said the Central Government, after consultation the Drugs Technical Advisory Board, hereby makes the following rules further to amend the Drugs and Cosmetics Rules, 1945, namely :-

(1) These rules may be called the Drugs and Cosmetics (1st Amendment) Rules. 1992.

- (2) They shall come into force on the date of their publication in the Official Gazette.
- 2. In the Drugs and Cosnetics Rules, 1945 (hereinafter referred to as the said rules), in rule 75,—
  - (i) in the running head, the words and letters "excluding those specified in Part XB" shall be inserted at the end;
  - (ii) in sub-rule (1), for the words and letters "excluding those specified in Schedule X" the words and letter "excluding those specified in Part XB and Schedule X" shall be substituted.
- 3. In rule 75 A of the said rules, in sub-rule (1), for the words and letter "excluding those specified in Schedule X", the words and letters "excluding those specified in part XB and Schedule X" shall be substituted.
- 4. In rule 76 of the said rules, in the running head and in the beginning portion, for the words and letter "excluding those specified in Schedule X", the words and letters "excluding those specifiel in Part XB and Schedule X" shall be substituted.
- 5. After Part XA of the said rules, the following part shall be inserted, namely:—

#### "PART X-B

Requirements for the Collection, Storage, Processing and Distribution of whole Human Blood, Human Blood Components by Blood Banks and manufacture and manufacture of Blood Products

- 122-F, Form of application for licence for operation of Blood Bank|processing of whole human blood for components|manufacture of Blood Products for sale or distribution.
- (1) Application for the grant and or renewal of licence for the operation of a Blood Bank processing of Human Blood for components manufacture of Blood Products shall be made to the licensing authority appointed under Part VII in Form 27-C, and shall be accompanied by licence fee of rupees six hundred and inspection fee of rupees two hundred in the case of renewal of licence;
  - Provided that if the applicant applies for renewal of licence after its expiry but within six months of such expiry the fee payable for the renewal of the licence shall be rupees six hundred plus an additional fee at the rate of rupees two hundred per month or a part thereof in addition to the inspection fee;
  - Provided further that a licensee holding a licence in Form 28-C for operation of blood bank|processing of whole human blood for components|manufacture of blood products shall apply for grant of licence under sub-rule (1) before the expiry of the said licence on Form 27-C

and he shall continue to operate the same till the orders on his application are communicated to him.

Explanation: For the purpose of this rule a Blood bank means a centre for collection, storage, processing and distribution of Whole Human Blood and or Human Blood Components from selected human donors"

- (2) A fee of rupees one hundred shall be paid for a duplicate copy of a licence issued under this rule, if the original is defaced, damaged or lost.
- (3) Application by a licensee to manufacture additional drugs listed in the application shall be accompanied by fee of rupees fifty for each drug listed in the application.
- (4) On receipt of the application for the grant or renewal of such licence, the licensing authority shall,—
  - (i) verify the statements made in the application form.
  - (ii) cause the manufacturing and testing establishment to be inspected in accordance with the provision of rule 122-I; and
  - (iii) in case the application is for renewal of licence, call for informations of past per formance of the licensee.
- (5) If the licensing authority is satisfied that the applicant is to a position to fulfil the requirements laid down in the rules, he shall prepare a report to that effect and forward it alongwith the application to the Central Licence approving Authority.

Provided that if the licensing authority is of the opinion that the applicant is not in a position to fulfil the requirements laid down in these rules, he may, by order, for reasons to be recorded in writing, refuse to grant or renew the licence as the case may be.

(6) If, on receipt of the application and the report of the licensing authority referred to in sub-rule (2) and after taking such measures including inspection of the premises by the Inspector, appointed by the Central Government under Section 21 of the Act, and or alongwith the Expert in the concerned field if deemed necessary, the Central Licence Approving Authority, is satisfied that the applicant is in a position to fulfil the requirements laid down in these rules, he may grant or renew the licence, as the case may be.

Provided that if the Central Licence Approving Authority is of the opinion that the applicant is not in a position to fulfil the requirements laid down in these rules he may, notwithstanding the report of the licensing authority, by order, for reasons to be recorded in writing, reject the application for grant or renewal of licence as the case may be and shall supply the applicant with a copy of the inspection report.

122-G, Form of licence for the operation of a Blood Bank|Processing of Whole Human Blood for components and manufacture of blood products and the conditions for the grant or renewal of such licence.

A licence for the operation of a Blood Bank or for processing whole Human Blood for components and manufacture of blood products shall be issued in Form 28-C. Before a licence in Form 28-C is granted or renewed the following conditions shall be complied with by the applicant:—

- (i) The operation of the Blood Bank or processing of whole human blood for components manufacture of blood products shall be carried out under the active direction and personal supervision of competent technical staff consisting of at least one person who is whole time employee and who is Medical Officer and is a Graduate in Medicine of a University recognised by the Central Government having experience in Bank for 6 months during regular service. He shall also have adequate knowledge and experience in blood group serology, blood group methodology and medical principles involved in the procurement of blood.
- (ii) The applicant shall provide adequate space, plant and equipment for any or all the operations of blood collection or blood processing. The space, plant and equipment required for various operations is given in Schedule 'F' Part XII-B and or XII-C.
- (iii) The applicant shall provide and maintain adequate technical staff as specified in Schedule 'F' Part XII-B and or XII-C.
- (iv) The applicant shall provide adequate arrangements for storage of Whole Human Blood, Human Blood components and blood products.
- (v) The applicant shall furnish to the licensing authority, if required to do so, data on the stability of Whole Human Blood its components or blood products which are likely to deteriorate, for fixing the date of exciry which shall be printed on the lables of such products on the basis of the data so furnished.
- 122-H. Duration of licence—An original licence in Form 28-C or a renewed licence in Form 26-G, unless sooner suspended or cancelled shall be valid upto the 31st December of the year following the year in which it is granted or renewed.
- 122-I. Inspection before grant or renewal of licence for operation of Blood Bank, processing of Whole Human Blood for Components and Manufacture of Blood Products—Before a licence in Form 28-C is granted, the Licensing Authority or the Central Licence Approving Authority, as the case may be, shall cause the establishment in which Blood Bank is proposed to be operated whole human blood

for component is processed blood products are manufactured to be inspected by one or more inspectors, appointed under the Act and or alongwith the Expert in the concerned field. The Inspector or Inspectors shall examine all portions of the premises and appliances equipments and inspect the process of manufacture intended to be employed or being employed along with the means to be employed or being employed for operation of blood bank processing of whole human blood for components manufacture of blood products together with their setting facilities and also enquire into the professional qualification of the expert staff and other technical staff to be employed.

- 122-J. Report by Inspector—The Inspector or Inspectors shall forward a detailed descriptive report giving his findings on each aspect of inspection along with his recommendation in accordance with the provisions of Rule 122-I to the Licensing Authority or to the Central Licence Approving Authority.
- 122-K. Further application after repection—If within a period of six months from the rejection of application for a licence the applicant informs the Licensing Authority that the conditions laid down have been satisfied and deposits an inspection fee of rupees fifty the Licensing Authority may, if after causing further inspection to be made is satisfied that the conditions for the grant of a licence have been complied with, shall grant a licence in Form 28-C.
- 122-L. Delegation of powers by the Central Licence Approving Authority—The Central Licence Approving Authority may, with the approval of the Central Government, by notification delegate his powers of signing licences and any other power under rules to persons under his control having same qualifications as prescribed for Controlling Authority under rule 50-A, for such areas and for such periods as may be specified.
- 122-M Provision for appeal to the State Government by a Party whose licence has not been granted or renewed. Any person who is aggrieved by the order passsed by the Licensing Authority or Central Licence Approving Authority, as the case may be, may within thirty days from the date of receipt of such order, appeal to the State Government or Central Government, as the case may be, after such enquiry, into the matter as it considers necessary and after giving the said person air opportunity for representing his view in the matter may pass such order in relation thereto as it thinks fit.
- 122-N Additional information to be furnished by an application for licence by a licensee to the Licensing Authority—The application for the grant of licence or any person granted a licence under the Part shall, on demand furnish to the Licensing Authority, before the grant of the licence or during the period the licence is in force, as the case may be, documentary evidence in respect of the ownership or occupation, rental or other basis of the premises, specified in the application for licence or in the licence granted, constitution of the firm or any other relevant matter, which may be required for the purpose of verifying the correctness

of the statement made by the applicants of the licensee, while applying for or after obtaining the licence, as the case may be.

- 122-O Cancellation and suspension of licences—(1) The Licensing Authority or Central Licence Approving Authority may for such licences granted or renewed by him after giving the licensee an opportunity to show cause by such an order should not be passed by an order in writing stating the reason thereof, cancel a licence issued under this part or suspend it for such period as he thinks fit, either wholly or in respect of some of the substances to which it relates, if in his opinion, the licensee has failed to comply with any of the conditions of the licence or with any provision of the Act or Rules thereunder.
- (2) A licensee whose licence has been suspended or cancelled may, within three months of the date of the order under sub-rule(1) prefer an appeal against that order to the State Government or Central Government, which shall decide the same.
- 122-P Conditions of licence—A licence in Form 28-C shall be subject to the special conditions set out in Schedule F, Part XII-B and Part XII-C as the case may be, which relate to the substance in respect of which the licence is granted and to the following general conditions:—
  - (i) (a) The licensee shall provide and maintain adiquate staff, plant and premises for the proper operation of a Blood Bank for Processing Whole Human Blood, its components and or manufacture of blood products.
    - (b) The licensee shall maintain staff, premises and equipment as specified in Rule 122-G. The licensee shall maintain necessary records and registers as specified in Schedule F, Part XII-B and XII-C.
    - (c) The licensee shall test in his own laboratory Whole Human Blood its components and blood products and registers in respect of such tests as specified in Schedule F, Part XII-B and XII-C. The records and register shall be maintained for a period of five years from the date of manufacture.
    - (d) The licence shall maintain preserve reference supply to the Inspector the reference sample of the Whole Human Blood collected by him in an adequate quantity to conduct all the prescribed tests. The licensee shall supply to the Inspector the reference sample for the purpose of testing.
- (ii) The licensee shall allow an Inspector appointed under the Act to enter, with or within prior notice, any premises where the activities of the Blood Bank are being carried out, for the processing of Whole Human Blood and or Blood Products to inspect the premises and plant and the process of manufacture and the means employed for standardising and testing the substance.
- (iii) The licensee shall allow an Inspector appointed under the Act to inspect all registers and records

- maintained under these rules and to take samples of the manufactured product and shall supply to Inspector such information as he may require for the purpose of ascertaining whether the povisions of the Act and Rules thereunder have been observed.
- (iv) The licensee shall from time to time report to the Licensing Authority any changes in the expert staff responsible for the operation of a Blood Bank processing of Whole Human Blood for components and or manufacture of blood products and any material alterations in the premises or plant used for that purpose which have been made since the date of last inspection made on behalf of the Licensing Authority before the grant of the licence.
- (v) The licensee shall on request furnish to the licensing Authority, or Central Licence Approving Authority or to such Authority as the Licensing Authority, or the Central Licence Approving Authority may direct, from any batch unit of drugs as the Licensing Authority or Central Licence Approving Authority may from time to time specify, samples of such quantity as may be considered adequate by such Authority for any examination and, if so required, also furnish full protocols of the test which have been applied.
- (vi) If the Licensing Authority or the Central Licence Approving Authority so directs, the licensee shall not sell or offer for sale any batch unit in respect of which a sample is, or protocols are furnished under the last proceeding sub-paragraph until a certificate authorising the sales of batch unit has been issued to him by or on behalf of the Licensing Authority or the Central Licence Approving Authority.
- (vii) The licensee shall on being informed by the Licensing Authority or the Controlling Authority that any part of any batch and of the substance has been found by the Licensing Authority or the Central Licence Approving Authority not to conform with the standards of strength, quality or purity specified in these Rules and on being directed so to do, withdraw, from sales and so far as may in the particular circumstances of the case be practicable recall all issues already made from that batch unit.
- (viii) No drug manufactured under the licence shall be sold unless the precautions necessary for preserving its properties have been observed throughout the period after manufacture. Further no batchlunit manufactured under this licence shall be supplied distributed to any person without prescription of Registered Medical Practitioner.
- (ix) The licensee shall comply with the provisions of the Act and of these Rules and with such further requirements, if any, as may be specified in any Rules subsequently made under Chapter IV of the Act, provided that where such further requirements are specified in the Rules, these would come in force four months after publication in the Official Gazette.
- (x) The licensee shall maintain an Inspection Book in Form 35 to enable an Inspector to record his impression and defects noticed."

- (xi) The licensee shall destroy the stocks of batch unit which does not comply with Standard tests in such a way that it would not spread any disease infection by way of proper disinfection method."
- 6. In Schedule A of the said rules: -(a) After Form: 26-F the following Form: shall be inserted, namely:--

#### "FORM-26-G

#### (See Rule 122--I)

Certificate of renew 1 of licence for the operation of Blood Bank and/or for processing of Whole Human Blood for components and/or Manufacture of Blood Products.

- 1. Certified that licence No.—granted on the—for the operation of Blood Bank, Processing of Whole Blood for components and/or Manufacture of blood products at the premises situated at—has been renewed from.......to—Name of the Product(s).....
  - 2. Name of the Téchnical stuff...........

2.----

Date..... Signature ....

Designation————

\*Licensing Authority

# Central Licence Approving Authority.

- (b) in Form 27, in the running head and in paragraph 1, for the words and letter "excluding those specified in Schedule X", the words and letters "excluding those specified in Part XB and Schedule X" shall be substituted;
  - (c) In Form 27A, in the running head and paragraph 1, for the words and letter "excluding those specified in Schedule X" the words and letters "excluding those specified in Part XB and Schedule X" shall be substituted.
- (d) after Form 27-B the following Form shall be inserted, namely:—

#### "FORM 27C

#### (See rule 122F)

Application for grant or renewal of licence for the Operation of Blood Bank, processing of Whole Human Blood for components and or manufacture of blood products.

\*Dělete whichever is not applicable. 207 GI 93—3.

1. I We hereby applyy for the grant renewal of licence to operate a Blood Bank, processing of Whole Human Blood for components and/or manufacture of blood products.

Names of the Human Blood Components intended to be processed shall be specified.

- 2 The name, qualification and experience of expert staff.
  - (a) Name(s) of Medical Officer.
  - (b) Name(s) of Registered nurse.
  - (c) Name(s) of Blood Bark Technician.
- 3. The premises and plan are ready for inspection will be ready for inspection on————.

4.	. A	fee	of 1	upees-			and	an	insp	ec-
tion	fee	of	rupe	es		has	been.	crec	lited	to
the	Gov	ernt	nent	under	the	Head of	Acco	unt-		<b>—.</b>
						Signati	ire	-		

Designation———

Dated\_\_\_\_\_\_

(e) after Form 28-B the following form shall be inserted, namely:—

# "FORM 28-C

#### (See rule 122G)

Licence to operate a Blood Bank, processing Whole Human Blood for components and or manufacture of Blood Products.

- (2) Name of the Product(s)
- 2. Name of approved expert staff

1. -----

3.

- 3. The licence authorise the distribution and the sale and storage for distribution or for sale by the licensee of Whole Human Blood, Human Blood Components and or blood product under this Licence subject to the conditions applicable to licence for sale.
- 4. The licence shall be in force from
- 5. The licence shall be subject to the conditions stated below and to such other conditions as may

be specified in the Rules for the time being in force under the Drugs and Cosmetics Act, 1940.

\*Licensing Authority-

"Central Licence Approving Authority.

Date----

#### CONDITIONS OF LICENCE

- 1 This licence and any certificate of renewal in force shall be kept on the approved premises and shall be produced at the request of an Inspector appointed under the Drugs and Cosmetics Act, 1940.
- 2. Any change in the expert staff shall be forth-with reported to the Licensing Authority.
- 3. The Ilcensee shall inform the Licensing Authority in writing in the event of any change in the condition of the firm operating under the licence. Where any change in the constitution of the firm takes place, the current licence shall be deemed to be valid for maximum period of three months from the date on which the change takes place unless, in the meantime, a fresh licence has been taken from the Licensing Authority in the name of the firm with the changed constitution."
- 8. For Part XIIB of Schedule-F of the said rule the following Parts shall be substituted, namely:—

#### "PART XII-B

# SPACE, FQUIPMENT AND SUPPLIES REQUIRED FOR A BLOOD BANK:

#### A. Accommodation for a Blood Bank.

Minimum total area shall be 100 Square meters having appropriate lighting and ventilation with washable floors and shall consist of following rooms, namely:—

- (1) Registration and Medical Examination room with adequate furniture and facilities for registration and selection of donors.
- (2) Blood Collection Room (This shall be airconditioned).
- (3) Room for Laboratory for Blood group serology. (This shall be air-conditioned).
- (4) Room for Laboratory for Transmissible diseases like Hepatatis, Syphilis, malaria, HIV-antibodies etc. (This shall be air-conditioned).
- (5) Sterilisation and washing room.
- (6) Refreshment room.
- (7) Store and Records Room.

\*Delete whichever is not applicable.

Note: The Laboratories of the Blood Bank shall be used exclusively for blood bank work.

#### B. Equipments.

- (1) For Blood Collection room:-
  - 1. Donor beds or tables: It shall be suitably and comfortably cushioned and shall be of appropriate size.
  - 2. Bed Side Table.
  - 3. Sphygmomanometer and Stethoscope
  - 4. Recovery beds for donors.
  - Refrigerators—maintaining temperature between 4 to 6 degree C with recording thermometer and alarm device.
  - 6. Weighing machine.
- (2) Haemoglobin Determination :-
  - (i) Copper sulphate solution (specific gravity 1.053).
  - (ii) Sterile lancete.
- (iii) Capilary tubing (1.3 to 1.4 x 65 mm or pasteur pipettes).
- (iv) Rubber bulbs for capillary tubings.
- (v) Sahli's Haemoglobino meter Colorimeteric method.
- (3) Temperature and Pulse Determination :-
  - (i) Clinical thermometers.
- (ii) Equipments and material for asceptic cleaning of the thermometer.
- (iii) Watch (fitted with a second-hand needle).
- (4) Blood Containers :- >
  - (a) Disposable plastic packs (closed system) as per the specification of USP.
  - (b) Blood Collection Bottles.

540 ml. with gradualed capacity of upto 500 ml. graduation mark provided with two rows in opposite direction indicate intervals of 50 ml. from 0 to 500 ml.

- (c) Anti-Coagulants: Anti-Coagulant solution shall be sterile, pyrogen free and of composition that will ensure satisfactory safety and efficacy of the Whole Human Blood and all the separate Human Blood Components.
- (i) Citrate Phosphate Dextrose Solution (CPD)-or citrate Phosphate Dextrose-Adenine-I (CPDA-I)-14 ml. solution shall be required for 100 ml. of blood. In case of Double Triple Blood collection bags used for blood components preparation, CPDA, blood collection bags may be used.

(ii) Acid Citra e D'extrose Solution (A.C.D. & Formula-A) I.P. Grade—15 ml. Solution shall be required for 100 ml. of blood.

Note: The licensee shall ensure that the anticoagula solution bottles packs conform to the standard laid down in I.P. U.S.P.

- (5) Disposable Sterile Bleeding sets shall only be used.
  - (6) Blood Transfusion Sets.

Sterile Disposable sets with filters and Plastic spike shall only be used.

- (7) Emergency Equipment :--
  - 1. Oxygen Cylinder with Mask, (Gauge and Pressure Regulator).
  - 2. 5 percent Glucose or Normal Saline.
  - 3. Disposable Sterile Syringes and Needle of various sizes.
  - 4. Disposable Sterile I.V. infusion set
  - Ampoules of Adernaline, Noradrenaline, Mephantin, Petame hasone or Dexamethasone, Injection Metoclopramide.
- 6. Aspirin and Spirit Ammonia Aromatic.
- (8) Accessories
  - 1. Such as Blankets, Emesis Basins, Hacmostats, Set Clamps, Sponge. Force ps, mouth gauze, Dressing Jars, Solution Jars. Waste Cans.
  - 2. Medium cotton balls. 1.25 cms. Adhesive tapes.
  - 3. Denatured Spirit, Tincture Iodine Green Soap or Liquid Soap and Injection of Procaine or Xylocaiue.
  - 4. Paper Napkins or Towels.,

#### C. REFRESHMENT SERVICES

Provision for serving refreshments to the donor after phlebotomy shall be made so that he may be kept for observation in the Blood Bank for any untoward reactions.

#### D. LABORATORY EQUIPMENTS

- (1) Refrigerator maintaining a temperature of 4° to 6°C with Recording Thermometer. The refrigerator shall have temperature recording and alarm device.
- (2) Compound Microscope—with low and high power objectives.
- (3) Contrifuge Table model
- (4) Water Paths-one for 37°C and another for 56°C.
- (5) Rh viewing box in case of slide technique.
- (6) Incubator with thermostatic control.

- (7) Mechanical shakers for serological tests for Syphilis.
- (8) Hand lens for observing tests conducted in tubes.
- (9) Serological graduated pipettes of various sizes.
- 10) Pipettes (Pastcur).
- (11) Glass slides.
- (12) Test tubes of various sizes microtiterplates (U or V type).
- (13) Precipitating tubes 6 mm×50 mm, glass beakers of different sizes.
- (14) Test tube racks of different specifications.
- (15) Interval timer electric or spring wound.
- (16) Equipment and materials for cleaning glass-Wares adequately.
- (17) Shipping containers.
- (18) RPHA|EL!SA Test Kits with Reader for Hapatatis.
- (19) Wash bottles; filter papers.
- (20) Ice box for transhipment of blood units.
- (21) Hot air over.
- (22) Plain and EDTA Vials.
- (23) ELISA-Reader, Washer and micropipettes for HIV-antibodies testing (in case HIV-antibodies Testing is done by ELISA Kits).

#### E. REAGENTS

- (1) Standard blood Grouping sera: Anti-A and Anti-B and Anti-AB all in double quantity and each of different brand or it from the same suppliers each supply should be of different lot numbers.
- (2) Rh typing Sera: All is double quantity and each of different braud or if from the same supplier each supply should be of different lot numbers.
- (3) Reagents for serological tests for syphillis and positive sera for controls.
- (4) Anti Human Globulin Serum (Coombs' Serum).
- (5) Albumin 20 per cent to 30 per cent for lests Enzymes.
- (6) 0.9 per cent Saline.
- (7) Culture media and tubes.
- (8) Wax pencils and tables.
- (9) RPHA ELISA Kits for Hepatatis
- (10) Detergents and other agents for cleaning labaratory blass wtres,
- (11) Elisa Kits Rapid diagnostic kits in case the licensee opts for HIT V-antibodies testing

#### F. GENERAL SUPPLIES

Autoclave with temperature and pressure recording divice.

#### G. PERSONNEL

- Every Blood Bank shall have following categories of full time technical staff and their number shall depend upon the quantum of work.
  - (1) With Degree in Medicine of a University recognised by the Central Government having in Blood Bank for 6 months during regular services. He shall have adequate knowledge and experience in Blood Group serology. Blood Group Methodilogy and medical principles involved in procurement of blood.
  - (2) Registered nurse.
  - (3) Blood Bank technician with MLT qualification or its equivalent having adequate experience in blood grouping and serology work.
  - (4) Laboratory Assistant with MLT qualifications or its equivalent.
  - (5) Laboratory Attendant.

#### H. TESTING OF WHOLE HUMAN BLOOD

- (1) It shall be the responsibility of the licensee to ensure that the Whole Human Blood supplied conforms to the standards laid down in the current edition of Indian Pharmacopoeia and for all other tests published by the Central Government from time to time.
- (2) Freedom from HIV-antibodies (AIDS Test)Every licensee shall get samples of every blood unit tested before use for freedom from HIV-antibodies either from such laboratories specified for the purpose by the Central Government or in his own laboratory. The resuts lof testing shall be recorded on he label of the container also.

#### Note:

- 1. Blood samples of donors in pilot tube and the blood samples of the receipient shall be preserved for 72 hours after transfusion.
- 2. The blood intended for transfusion shall not be frozen at any stage.
- 3. Blood containers shall not come directly in contact with ice at any stage.

#### I. EXPIRY DATE

1. The date on which the blood is drawn and the date of expiry which shall be as prescribed under Schedule P to the said Rules.

#### J. RECORDS AND LABELS

- (1) Records—The permanent records which the licensee is required to maintain shall include the following particulars:
  - (1) Blood Donor Register.—Indicating serial number, date of bleeding, name of donor with particulars, age, weight, haemoglobin, blood pressure, medical examination signature of medical Officer bleeding the donor, bottle bag number and patient's detail for whom donated in case of receipient donation, remarks on donation (voluntary) replacement professional). Eusposal record.
- (2) Blood Stock R. . . . . . bottle bag number, date of . . . . . . D. . . . . . piry, quantity in ml., ABO Rh Group, results for testing of HIV-antibodies, malaria, V.D.R.L. Hepatitis-B surface antigen, irregular antibodies (if any), name of donor with particulars, utilisation issue number, components prepared or discarded, certified by Medical Officer Incharge.

Groupwise stock register shall be maintained.

Note: Similar records shall be made for Blood Components.

(3) Issue Register—Indicating serial number, date and time of Issue, bottle number, ABO|Rh group, total quantity in ml., name of the recipient, group of recipient, unit instantion, details of cross matching report, indication for transfusion.

Particulars of product supplied (whole Human blood, Red Cell|Plaselet concentrates, cryoprecipitates etc.); quantity supplied; compatibility report, signature of issuing persons.

- (4) Register for A.C.D. C.P.D. CPD-A, bottles packs giving details of firm, batch number, date of supply, and results of testing.
- (5) Register for Diagnos ic Reagents used—Name of the reagents, details of batch number and date of supply and date of use.
- (6) Blood Bank must issue the cross-matching report of the blood of the patient alongwith the blood bottle.
  - (7) Transfusion Adverse Reaction Records.
- (8) Records of Purchase, use and stock in hand of disposable needles, Syrings, plastic bags, sets shall be main ained.

#### K. LABELS

The label on the blood container shall contain the following particulars namely:—

- (1) The serial number of the bottle.
- (2) The date on which the blood is drawn and the date of expiry as prescribed under Schedule P to the said Rules.
- (3) The ABO group with the corresponding colour; the following colour scheme for labels shall be used for different groups:—

Group Colour of label
O Blue
A Yellow
B Pink
AB White

- (4) The results of the tests for Hepatatis, Syphilis, freedom from HIV-antibodies.
  - (5) The Rh group.
- (6) To al volume of fluid, the preparation of blood, nature and percentage of anticoagulant,
  - (7) Name and address of Blood Bank.
  - (8) Licence number.
  - (9) Keep continuously at 4 degree to 6 degree C.
- (10) Disposable Transfusion Sets with filter must be used in administration equipments.
- (11) Appropriate compatible Cross matched blood without a typical antibody in receipient should be used.

#### CAUTION:

(12) The contents should not be used if there is any visible evidence of deterioration like haemolysis. clotting or discolouration.

Note: The above requirements of Blood bank are subject to modifications at the discretion of the Licensing Authority or the Central Licence Approving Authority if he is of the opinion that having regard to the extent of manufacturing operations it is necessary to relax or alter them in the circumstances of a particular case.

# PART XIIC

A. MINIMUM REQUIREMENTS FOR GRANT OF LICENCE TO PROCESS BLOOD COMPONENTS FROM WHOLE HUMAN BLOOD.

The Human Blood Components are prapared by Blood Banks as a part of the Blood Bank services. The minimum requirements that are essential for

grant of licince to manufacture Human Blood Components shall be:—

#### (a) PREMISES

Minimum area required shall be 50 square meter in addition to the area needed for the normal Blood Bank.

The whole area shall be air-conditioned with temperature control of 20 to 25 degree C. It shall be clean, well-lighted, ventilated, with washable floor. It shall also be suitably furnished.

Preparation of Human Blood, Components would be carried out only under closed system using double or triple packs except for Red Blood Cells Concentrate single bags shall be used with transfer packs.

#### (b) EQUIPMENTS:

- (i) Plastic Packs—double triple quadruple.
- (ii) Air-Conditioner.
- (iii) Laminar Air Flow Bench.
- (iv), Suitable Refrigerated Centrifuge.

(v) Plaşma Expresser.

- (vi) Clipper and clips and or, Dielectric sealer.
- (vii) Weighing device.
- (viii) Dry Rubber Balancing Material,
- (ix) Artery Forces and Scissor.
  - (x) Appropriate labels
- (xi) Refrigerator maintaining a temperature of 1° to 6°C with recording thermometer. The refrigerator shall have temperature recoding and alarm device.
- (xii) Platelet azitator with incubator (wherever-necessary).
- (xiii) Deep freezer maintaining a temperature of minus 30° to Minus 40°C

#### (c) PERSONNEL

The technical staff, mentioned hereunder, shall be provided for processing of Human Blood Components. This shall be in addition to the technical staff of the Blood Bank:—

- (i) Technical Supervisor Senior Technical Assistant with suitable qualification and experience.
- (ii) Laboratory Technician Laboratory Assistant with suitable qualification and experience.
- (iii) Registered Nurse required where plasmo-Phoresis is a regula feature.

# (d) TESTING FACILITIES

General-Facilities for ABO and Rh(D) grouping,

Hepatitis—B antigen, VDRL and HIV-anti-bedies testing shall be mandatory for each and every donor

where blood is used for any of the blood components. The results of testing of these shall be indicated on the label.

#### (1) HUMAN RED BLOOD CELIS CONCENTRA-TES

Red Blood Cells concentrate shall be prepared in plastic bags (closed system). If plasma is separated in open by system it shall be under Laminar air flow bench and the Red Cells shall be used within Twenty four hours after separation.

#### (2) PLATELETS CONCENTRATES

- (i) Count of Placelet concentrates shall not be less than  $4.5 \times 10^{10}$  per unit i ncost of 350 ml blood collection;  $5.5 \times 10^{10}$  per unit in case of 450 ml, blood collection.
- (ii) Storage Platelets concentrates shall be stored at 20 to 24°C for a maxmum period of 3 days with slow agitation to maintain disaggregation of the platelets and PH shall not be below 6. It should have 40—60 ml plasma in case of 450 ml. of blood collection and 30—50 ml. plasma in case of 350 ml. of blood collection.
- (iii) Compatibility Tests · Since Platelet concentrates contain variable number of red cells, compatible ABO and Rh(D) factors are essential for transfusion. Since platelets share HLA antigens, it is preferable to use HLA identifical donors specially when repeated platelets transfusion are required.

#### (3) GRANULOCYTES COSCENTRATES

- (i) Storage: It shall be kept at 4° to 6°C for a maximum period of 24 hours.
- (ii) Unit of granulocytes should not be less than  $1 \times (^{10})$  when prepared on cell separator. tor.
- (iii) Group specific tests to be carried out.

#### (4) FRESH FROZEN PLASMA

When plasma is frozen within 4 to 6 hours after blood collection and kept at minus '0°C to minus 40°C in deep freeze it can be preserved for a period of one year.

# (5) CRYO-PRECIPITATES

It is concentrate of antihaemophilic factor prepared by thawing of the frozen Plasma by suitable method. Plasma shall be frozen from the blood within 6 hours of its collection.

(a) Storage—Cryoprecipitate shall be preserved at a temperature not higher than minus 30°C and can be preserved for a period of one year. (b) Activity—Antihaemophalic factor activity in the final product should be not less than 50 units per supply unit.

#### B. PLASMA PHERESIS:

A separate room shall preferably be provided within the area needed for blood components for plasma pheresis. However, this may be carried out in Donor's room if a separate space is provided for the purpose.

Those blood banks which are specifically permitted to undertake plasmapheresis on donors should fellow the guidelines mentioned hereunder:—

- (a) Donors: Their requirements shall be similar to these given under selection of whole Blood Donor. In addition, the denor for Plasmapheresis shall be evaluated more corefully for weight haemotocrit or haemolotun concentration and total Serum-Protein. Firdings shall be recorded. The Medical Officer shall certify that donor is fit for Plasmapheresis and it should be carried out under supervision of a Medical Officer by a trained person.
- (b) Informed Consent—Donors must be explained the hazards of Plasmapheresis and written consent must be taken from them.
- (c) Collection of Plasma--
- (1) Per sitting—500 ml. once in fortnight.
- (2) Per month—not more than 1000 ml.

NOTE: "The above requirement, of blood components are subject to modifications at the discretion of the Licensing Authority or the Central Licence Approving Authority if he is of the opinion that having regard to the extent of the manufacturing operations it is necessary to relax or alter them in the circumstances of a particular case."

(No. X. 11013|9|85-DMS&PFA) B. S. LAMBA, Jt. Secy.

• • ; ; ;

NOTE: The Drug & Cosmetics Rules, 1945 as amended upto 1-5-1979 is contained in the publication of the Ministry of Health & Family Welfare (Department of Health) containing the Drugs & Cosmetics Act and the Rules (PDGH3-61). Subsequently the said rules have been amended by the following notification published in Part II, Section 3, Sub-section (i) of the Gazette of India; namely:—

- 1. GSR 1241 dated 6-10-1979
- 2. GSR 1242 dated 6-10-1979
- 3. GSR 1243 dated 6-10-1979
- 4. GSR 1281 dated 12-10-1979
- 5. GSR 430 dated 19-04-1980
- 6. GSR 779 dated 25-7-1980

- 7. GSR 540(E) dated 22-9-1980
- 8. GSR 580(E) dated 5-12-1980
- 9. GSR 631(E) dated 5-12-1980
- 10. GSR 682(E) dated 5-12-1980
- 11. GSR 27(E) dated 17-1-1981
- 12. GSR 478(E) dated 6-8-1981
- 13. GSR 62(E) dated 5-2-1982
- 14. GSR 462(E) dated 22-6-1982
- 15. GSR 510(E) dated 26-7-1982
- 16. GSR 13(E) dated 7-1-1983
- 17. GSR 318(E) dated 1-5-1984
- 18. GSR 331(E) dated 8-5-1984
- 19. GSR 460(E) dated 20-6-1984
- 20. GSR 487(E) dated 2-7-1984
- 21. GSR 89(E) dated 16-2-1985
- 22. GSR 798(E) dated 10-10-1985
- 23. GSR 17(E) dated 7-1-1986
- 24. GSR 1049(E) dated 29-8-1986
- 25. GSR 1060(E) dated 5-9-1986
- 26. GSR 1115(E) dated 30-9-1986
- 27. GSR 71(E) dated 30-1-1987
- 28. GSR 570(E) dated 12-6-1987
- 29. GSR 626(E) date 1 2-7-1987
- 30. GSR 792(E) dated 17-9-1987
- 31. GSR 371(E) dated 24-3-1988
- 32. GSR 75(E) dated 2.6.1988
- 33. GSR 675(E) dated 2-6-1988
- 34. GSR 676(E) dated 2-6-1988
- 35. GSR 677(E) dated 2-6-1988
- 36. GSR 680(E) dated (-6-1938
- 37. GSR 735(E) dated 24-6-1986

- 38. GSR \$13(E) dated 27-7-1988
- 39. GSR 933(E) dated 21-9-1988 Corrigendum
- 40. GSR 43(E) dated 20-1-1989 Corrigendum
- 41. GSR 44(E) dated 20-1-1989 Corrigendum
- 42. GSR 100(F) dated 14-2-1989 Corrigendum
- 43. GSR 443(E) dated 12-4-1989
- 44. GSR 588(E) dated 2-6-1989 Corrigendum
- 45. GSR 691(E) dated 11-7-1989
- 46. GSR 784(E) dated 28-8-1989
- 47. GSR 16(E) dated 10-1-1990
- 48. GSR 731(E) dated 23-8-1990
- 49. GSR 865(E) dated 25-10-1990
- 50. GSR 11(E) dated 7-1-1990
- 51. GSR 223(E) dated 19-4-1991
- 52. GSR 246(E) dated 1-5-1991
- 53. GSR 301(E) dated 7-6-1991
- 54. GSR 302(E) dated 7-6-1991
- 55. GSR 491(E) dated 25-7-1991
- 56. GSR 495(E) dated 25-7-1991
- 57. GSR 532(E) dated 14-7-1991
- 58. GSR 626(E) dated 1-10-1991
- 59. GSR 668(E) dated 1-11-991
- 60. GSR 730(E) dated 10-12-1991
- 61. GSR 59(E) dated 22-1-1992
- 62. GSR 305(E) dated 4-3-1992 Corrigendum
- 63. GSR 445(E) dated 30-4-1992
- 64. GSR 597(E) dated 17-6-1992
- 65. GSR 663(E) dated 3-7-1992
- 66. GSR 796(E) dated 1-10-1992
- 67. GSR 723(E) dated 14-12-1992



# MRA an USIVA The Gazette of India

# असाधार्गा EXTRAORDINARY

PART II—Section 3—Sub-section (i)

# प्राधिकार से प्रकाशित PUBLISHED BY AUTHORITY

सं. 22]

नहें दिल्ली, शतिकार, जनवरो 23, 1993/माध 3, 1914

No. 22] NEW DELHI, SATURDAY, JANUARY 23, 1993/MAGHA 3, 1914

इस भाग में भिन्न पृष्ठ संस्था वी जाती है जिससे कि यह अलग संकलत के रूप में रखा जा सके

Separate Paging is given to this Part in order that it may be filed as a separate compilation

वित्त मंत्रालय

#### ग्रधिसूचना

नई दिल्ली, 23 जनवरी, 1993

- सा. का. नि. 29(म्र):—-राष्ट्रपति, संविधान के म्रनुच्छेर 309 के परन्तु हारा प्रस्त मित्रों का प्रयोग करते हुए और राष्ट्रीय बचत संगठन (समूह "क" और समूह "ख" पद) भर्ती नियम, 1963 को, जहां तक उनका संबंध राष्ट्रीय बचत म्रायुक्त के पद से है, उन बातों के सिवाय म्रधिकांत करते हुए, जिन्हें ऐसे म्रधिकमण से पहले किया गया है या करने का लोग किया गया है, वित्त मंत्रालय (ग्राधिक कार्य विभाग) के म्रधीन राष्ट्रीय बचत संगठन में राष्ट्रीय बचत म्रायुक्त के पद पर भर्ती की पद्धित का विनियमन करने के लिए निम्नलिखित नियम बनाते हैं, म्रयीत्:---
- 1. संक्षिप्त नाम और प्रारम्भः—(1) इन नियमों का संक्षिप्त नाम राष्ट्रीय बचत संगठन (राष्ट्रीय बचत ग्रायुक्त) भर्ती नियम, 1993 हैं।
  - (2) ये राजपत्र में प्रकाशन की तारीख को प्रवृत्त होंगे।
- 2. पद-संख्या, वर्गीकरण और वेतनमान:---उक्त पद की संख्या, उसका वर्गीकरण और उसका वेतनमान वह होगा, जो इन नियमों से उपाबद्ध ग्रनुसूची के स्तम्भ 2 से स्तंभ 4 में विनिर्विष्ट हैं।
- 3. भर्ती की पद्धति, द्यायु सीमा और ग्रन्य अर्हताएं ग्रादि:--उक्त पद पर भर्ती की पद्धति, ग्रायु-सीमा और ग्रन्य ग्रंहताएं और उसस संबंधित ग्रन्य बातें वे होंगी जो उक्त श्रनुसूची के स्तम्भ 5 से स्तंभ 14 में विनिर्दिष्ट हैं।